

Contents of Amazoniana Volumes 1 (1965) - 15 (1999)

Part A: Chronological order

Amazoniana 1(1), 1965

BATISTA, D. DA C. & H. SIOLI: Introduction. [in Portuguese]	5-6
BATISTA, D. DA C. & H. SIOLI: Introduction. [in German]	7-9
SIOLI, H.: The limnology and its importance in Amazonian research. [in Portuguese]	11-35
OCHS, G.: Fourth contribution to the knowledge of the whirligig beetles of the Amazon region (Col., Gyrinidae). [in German]	36-73
SIOLI, H.: Remark on the typology of Amazonian rivers. [in German]	74-83
LINDNER, E.: Stratiomyiids from the Amazon region. [in German]	84-86

Amazoniana 1(2), 1967

MARLIER, G.: Ecological studies on some lakes of the Amazon valley	91-115
GEISLER, R.: On the limnochemistry of the Igarapé Prêto. [in German]	117-123
CERQUEIRA, N.L. & J.A. NUNES DE MELLO: Simuliidae of Amazonia II. Description of <i>Simulium goeldii</i> sp.n. (Diptera, Nematocera). [in Portuguese]	125-130
KIEFER, F.: Two new <i>Parastenocaris</i> -species (Copepoda, Harpacticoida) from the Middle Amazon region. [in German]	131-134
OCHS, G.: Fifth contribution to the knowledge of the whirligig beetles of the Amazon region (Col., Gyrinidae). [in German]	135-171
WIEBACH, F.: Amazonian bryozoans (Bryozoa) I. [in German]	173-187
DE CARLO, J.A.: A new species of the genus <i>Ranatra</i> and new species of Naucoridae (Hemiptera). [in Spanish]	189-200

Amazoniana 1(3), 1968

CERQUEIRA, N.L. & J.A. NUNES DE MELLO: Simuliidae of Amazonia IV. Description of <i>Simulium fulvinotum</i> sp.n. (Diptera, Nematocera). [in Portuguese]	205-210
SATTler, W.: Further notes on the eco-ethology of a Neotropical <i>Macronema</i> -larva (Hydropsychidae, Trichoptera). [in German]	211-229
KNÖPPEL, H.-A., JUNK, W.J. & J. GÉRY: <i>Bryconops (Creatochanes) inpai</i> , a new characid fish from the Central Amazon Region, with a review of the genus <i>Bryconops</i>	231-246
BECK, L.: On the biology of some arachnids in the tropical forest of the Reserva Ducke (INPA, Manaus, Brazil). [in Portuguese]	247-250
SCHUBART, H.: New Palaeacaroida (Oribatei) from Amazonia (Arach., Acari). [in German]	251-256

KIEFER, F.: Two further <i>Parastenocaris</i> -species (Copepoda, Harpacticoida) from the Middle Amazon region. [in German]	257-258
FITTKAU, E.J.: <i>Siolimya amazonica</i> n.gen. n.spec., a chironomid capable of flight (Diptera) with a hypopygium inversum. [in German]	259-265
SIOLI, H.: Hydrochemistry and geology in the Brazilian Amazon region	267-277

Amazoniana 1(4), 1968

SIOLI, H. (1968): Dr. Werner Sattler in Memoriam	283-286
KLINGE, H. & W.A. RODRIGUES: Litter production in an area of Amazonian terra firme forest. Part I. Litter-fall, organic carbon and total nitrogen contents of litter.	287-301
KLINGE, H. & W.A. RODRIGUES: Litter production in an area of Amazonian terra firme forest. Part II. Mineral nutrient content of the litter.	303-310
SCHUBART, H. & L. BECK: On the fauna of coleopterans from Amazonian soils. [in German]	311-321
SCHMIDT, G.W.: On the problem of determination of the carbon dioxide in tropical waters poor in calcium. [in German]	323-326
FITTKAU, E.J.: A new Tanypodinae-genus, <i>Djalmabatista</i> (Chironomidae, Dipt.), from the Brazilian Amazon region. [in German]	327-349
SCHWABE, G.H.: Two remarkable nostocaceans from South America. [in German]	351-368

Amazoniana 2(1/2), 1969

FÖRSTER, K.: Amazonian desmids. 1st part: Area Santarém. [in German]	5-232
--	-------

Amazoniana 2(3), 1970

BRINKMANN, W.L.F. & A.N. VIEIRA: Some remarks on UV-radiation at "Reserva Florestal Ducke" forest pilot scheme near Manaus, Amazon	235-243
EDWARDS, A.M.C. & J.B. THORNES: Observations on the dissolved solids of the Casiquiare and Upper Orinoco, April - June, 1968	245-256
KNÖPPEL, H.-A.: Food of Central Amazonian fishes. Contribution to the nutrient-ecology of Amazonian rain-forest-streams	257-351
WIEBACH, F.: Amazonian bryozoans (Bryozoa) II. [in German]	353-362
SCHWABE, G.H.: Two remarkable nostocaceans from South America II. [in German]	363-390

Amazoniana 2(4), 1970

SCHMIDT, G.W.: Numbers of bacteria and algae and their interrelations in some Amazonian waters	393-400
STERN, K.M.: The Casiquiare-channel, now and once. [in German]	401-416
GÉRY, J.: The genus <i>Iguanodectes</i> COPE (Pisces, Characoidei). [in French]	417-433
VOLKMER-RIBEIRO, C.: <i>Oncosclera</i> - a new genus of freshwater sponges (Porifera - Spongillidae) with redescription of two species	435-442
BRINKMANN, W.L.F. & A. DOS SANTOS: Natural waters in Amazonia. III. Ammonium molybdate-reactive silica.	443-448

JUNK, W.J.: Investigations on the ecology and production-biology of the "floating meadows" (Paspalo-Echinochloetum) on the Middle Amazon. Part I: The floating vegetation and its ecology.	449-495
ANONYMOUS: Symposium proceedings on environment in Amazonia. Part I	497-501

Amazoniana 3(1), 1971

FLINT, O.S. Jr.: Studies of Neotropical caddisflies, XII: Rhyacophilidae, Glossosomatidae, Philopotamidae, and Psychomyiidae from the Amazon Basin (Trichoptera)	7-67
BECK, L.: Zoological soil classification and characterization of the Amazonian rain forest. [in German]	69-132

Amazoniana 3(2), 1972

SIOLI, H.: Dr. José Cândido de Melo Carvalho, new co-editor of AMAZONIANA. [in Portuguese]	133-134
SIOLI, H.: Dr. José Cândido de Melo Carvalho, new co-editor of AMAZONIANA. [in German]	135-136
SCHADEN, R. & H. SIOLI: Professor Dr. Heitor Grillo in memoriam. [in Portuguese]	137-138
SCHADEN, R. & H. SIOLI: Professor Dr. Heitor Grillo in memoriam. [in German]	139-140
ALTHER, E.: Contribution to the knowledge of nematodes of the Amazon estuary. [in French]	141-174
ANONYMOUS: The ion load of the Rio Negro, Amazon state, Brazil, according to investigations of Dr. Harald Ungemach. [in German]	175-185
ANONYMOUS: Rainwater analyses from Central Amazonia, carried out in Manaus, Amazon, Brazil, by Dr. Harald Ungemach. [in German]	186-198
SCHMIDT, G.W.: Chemical properties of some waters in the tropical rain-forest region of Central-Ama-zonia along the new road Manaus - Caracarai	199-207
SCHMIDT, G.W.: Amounts of suspended solids and dissolved substances in the middle reaches of the Amazon over the course of one year (August, 1969 - July, 1970)	208-223
BONETTO, A.: A new species of Monocondylaeinae from the Amazon basin, and some considerations on this subfamily in the hydrographic systems of South America	224-230
KNÖPPEL, H.-A.: On nutrition of tropical fresh-water fishes from South America. - Some selected species of the Anostomidae, Curimatidae, Hemiodidae and Characidae (Pisces, Characoidei). [in German]	231-257

Amazoniana 3(3/4), 1972

KOSTE, W.: Rotatorians from Amazonian waters. [in German]	258-505
---	---------

Amazoniana 4(1), 1973

LEENTVAAR, P.: Further developments in Lake Brokopondo, Surinam	1-8
JUNK, W.J.: Investigations on the ecology and production-biology of the "floating meadows" (Paspalo-Echinochloetum) on the Middle Amazon. Part II. The aquatic fauna in the root zone of floating vegetation	9-102

Amazoniana 4(2), 1973

SCHMIDT, G.W.: Primary production of phytoplankton in the three types of Amazonian waters. I. Introduction	135-138
SCHMIDT, G.W.: Primary production of phytoplankton in the three types of Amazonian waters. II. The limnology of a tropical flood-plain lake in Central Amazonia (Lago do Castanho)	139-203
BRANDORFF, G.-O.: New free living calanoid copepods (Crustacea) from the Amazon region. [in German]	205-218
IRMLER, U.: Population-dynamic and physiological adaptation of <i>Pentacomia egregia</i> CHAUD. (Col., Cicindelidae) to the Amazonian inundation forest	219-227

Amazoniana 4(3), 1973

MÜLLER, P.: Historic-biogeographical problems of the species richness of South American rain forests. [in German]	229-242
SCHMIDT, G.W. & G. UHERKOVICH: On the species richness of the phytoplankton in Amazonia. [in German]	243-252
SCHADEN, R.: Short note on the species number of Rotatoria in the Amazon region. [in German]	253-254
NOODT, W.: Species richness and MONARD's principle in Crustacea of the limnopsammon in the Neotropics. [in German]	255-261
JUNK, W.J.: Faunistic-ecological studies as possibility for the definition of biotopes, exemplified for floodplains. [in German]	263-271
SCHREIBER, H.: Radiation centers of sphingids (Lepidoptera) in the Neotropics. [in German]	273-281
KLINGE, H.: Structure and species richness of the Central Amazonian rain forest. [in German]	283-292
BRÜNIG, E.F.: Species richness and stand diversity in relation to site and succession of forests in Sarawak and Brunei (Borneo)	293-320
FITTKAU, E.J.: Species richness of Amazonian biotopes from the ecological point of view. [in German]	321-340

Amazoniana 4(4), 1973

BRANDORFF, G.-O.: The Neotropical genus <i>Rhacodiaptomus</i> KIEFER (Crustacea, Copepoda), with description of two new species. [in German]	341-365
REISS, F.: On hydrography and macrobenthos fauna of tropical lagoons in the savanna of the Território de Roraima, Northern Brazil. [in German]	367-378
SCHMIDT, G.W.: Primary production of phytoplankton in the three types of Amazonian waters. III. Primary productivity of phytoplankton in a tropical flood-plain lake of Central Amazonia, Lago do Castanho, Amazonas, Brasil	379-404
WIRTH, W.W. & F.S. BLANTON: A review of the maruins or biting midges of the genus <i>Culicoides</i> (Diptera: Ceratopogonidae) in the Amazon Basin	405-470

Amazoniana 5(1), 1974

MÜLLER, P.: Josef Schmidhüsen to his 65th birthday. [in German]	1-2
REISS, F.: Four new <i>Chironomus</i> -species (Chironomidae, Diptera) and their ecological importance for the benthos fauna of Central Amazonian lakes and inundation forests. [in German]	3-23
KOSTE, W.: To the knowledge of the rotatorian fauna of the "floating meadows" of a shore lagoon in the várzea of Amazonia, Brazil. [in German]	25-59
VIETS, K.O.: On some water mites (Hydrachnellae, Acari) from Brazil. [in German]	61-65
HOWARD-WILLIAMS, C.: Nutritional quality and calorific value of Amazonian forest litter ...	67-75
FITTKAU, E.J.: On the ecological classification of Amazonia. I. The geological development of Amazonia. [in German]	77-134

Amazoniana 5(2), 1974

FÖRSTER, K.: Amazonian desmids. 2nd part: Area Maués - Abacaxis. [in German]	135-242
UHERKOVICH, G. & G.W. SCHMIDT: Phytoplankton taxa in the Central Amazonian alluvial lake Lago do Castanho. [in German]	243-283
VOLKMER-RIBEIRO, C. & R. DE ROSA-BARBOSA: A freshwater sponge-mollusk association in Amazonian waters	285-291
WIEBACH, F.: Amazonian bryozoans (Bryozoa) III. [in German]	293-303

Amazoniana 5(3), 1975

VIETS, K.O.: <i>Koenikea</i> -species (Acari, Hydrachnellae) from the Amazon region. [in German] .	305-336
IRMLER, U.: Ecological studies of the aquatic soil invertebrates in three inundation forests of Central Amazonia	337-409
PUTHZ, V.: A new caenid genus from the Amazon region (Insecta: Ephemeroptera: Caenidae). [in German]	411-415

Amazoniana 5(4), 1976

TUXEN, S.L.: The Protura (Insecta) of Brazil, especially Amazonas	417-463
UHERKOVICH, G.: Algae from the rivers Rio Negro and Rio Tapajós. [in German]	465-515
SCHMIDT, G.W.: Primary production of phytoplankton in the three types of Amazonian waters. IV. On the primary productivity of phytoplankton in a bay of the lower Rio Negro (Amazonas, Brazil)	517-528
BUDOWSKI, G.: Why save tropical rain forests? Some arguments for campaigning conservationists	529-538
MÜLLER, P.: On the diversity and biomass of the reptile fauna in the Central Amazonian rain forest near Manaus. [in German]	539-543

Amazoniana 6(1), 1976

BECK, L.: On the mass migration of the macro-arthropod fauna of the soil in inundation forests of the Central Amazon region. [in German]	1-20
--	------

FRÄNZLE, O.: The water conservation of the Amazonian rain forest and its influence by man. [in German]	21-46
GEISLER, R. & J. SCHNEIDER: The element matrix of Amazon waters and its relationship with the mineral content of fishes. (Determinations using Neutron Activation Analysis)	47-65
IRION, G.: The development of the Central and Upper Amazonian lowland during the late Pleistocene and the Holocene. [in German]	67-79
KOEPCKE, H.-W.: Peruvian natural landscapes as centers of evolution. [in German]	81-85
KOHLHEPP, G.: State and problems of the Brazilian development planing in Amazonia. [in German]	89-104
MÜLLER, P. & G. WEIMER: Notes on the distribution centers of South American callichthyids and cichlids. [in German]	105-121
REISS, F.: Characterization of Central Amazonian lakes on account of their macrobenthos fauna. [in German]	123-134
ZIECHMANN, W.: Humic substances in South American river systems. [in German]	135-144

Amazoniana 6(2), 1977

ALTHERR, E.: Contribution to the knowledge of nematodes of the Amazon estuary (2nd part). [in French]	145-159
HAFFER, J.: Pleistocene speciation in Amazonian birds	161-191
KLINGE, H.: Preliminary data on nutrient release from decomposing leaf litter in a Neotropical rain forest	193-202
REISS, F.: Qualitative and quantitative investigations on the macro-benthic fauna of Central Amazon lakes. I. Lago Tupé, a black water lake on the lower Rio Negro	203-235
SATTLER, W. & J. SYKORA: On a strange Neotropical caddisfly, particularly due to its contruction instinct - <i>Leucotrichia brasiliiana</i> n.sp. (Trichoptera, Hydroptilidae). [in German]	237-255
SCHADEN, R.: On the cyclomorphosis of some brachionids (Rotatoria) of Central Amazonia. [in German]	257-266
SCHADEN, R.: Seasonal changes in the composition of the rotatorian stock of Lago de Castanho, Central Amazonia. [in German]	267-273

Amazoniana 6(3), 1978

BRÜNIG, E.F.: Variation of the structure in the rain forest of San Carlos de Rio Negro. [in German]	275-277
FRÄNZLE, O.: The structure and carrying capacity of ecosystems. [in German]	279-297
HEUVELDOP, J.: First results of meteorological investigations in the rain forest stands of San Carlos de Rio Negro. [in German]	299-300
IRMLER, U.: The structure of the carabid- and staphylinid-community in Central Amazonian inundation forests. [in German]	301-326
KLINGE, H.: The phytomass of dominant tree species in an Amazonian caatinga. [in German]	327-328
NAGEL, P. & A. SCHÄFER: The biotic diversity as factor for the system analysis. [in German]	329-345
SCHADEN, R.: On the diversity and identity of Amazonian Rotatoria zooms. [in German] . . .	347-371
FLINT, O.S. Jr.: Studies of Neotropical caddisflies. XXII: Hydropsychidae of the Amazon Basin (Trichoptera)	373-421

Amazoniana 6(4), 1979

ALDER, D., BRÜNIG, E.F., HEUVELDOP, J. & J. SMITH: Structure and functions in the rain forest of the international Amazon-ecosystem-project: Preliminary communication about the classification of stands, variation of stand structure and precipitation characteristics. [in German]	423-444
BITTNER, A.: Serumolality and hematocryal value of Amazonian fresh-water rays (Potamotrygonidae) during adaptation to salt-water. [in German]	445-449
FASSBENDER, H.W.: On the question of the water supply of <i>Pinus caribaea</i> -plantations in eastern Venezuela. [in German]	451-457
FRANKEN, W.: Studies in the catchment area of the Central Amazonian rain forest stream "Barro Branco" on the "terra firme". I. Discharge behavior of the stream. [in German] . . .	459-466
GÉRY, J.: The Serrasalmidae (Pisces, Characoidei) from the Serra do Roncador, Mato Grosso, Brasil	467-495
IRMLER, U. & K. FURCH: Production, energy, and nutrient turnover of the cockroach <i>Epilampra</i> <i>irmleri</i> ROCHA e SILVA & AGUIAR in a Central-Amazonian inundation forest.	497-520
LEENTVAAR, P.: Additions and corrections to the Brokopondo study (Surinam).	521-528
MÜLLER, P.: Space linkage and genesis of Southern Brazilian area systems. [in German] . . .	529-535
MÜLLER, P.: The evolution of the <i>Liolaemus wiegmanni</i> -complex and the dispersal centres in Brazil	537-555
NORTCLIFF, S., THORNES, J.B. & M.J. WAYLEN: Tropical forest systems: A hydrological approach	557-568
PAOLINI, J.: Humic substances-system in the caatinga amazonica near San Carlos de Rio Negro, Venezuela. [in German]	569-582
RAI, H.: Microbiology of Central Amazon lakes.	583-599
SCHWAAR, J.: The vegetation of the high peat bogs of Terra del Fuego. [in German]	601-609
UHERKOVITCH, G. & H. RAI: Algae from the Rio Negro and its affluents. [in German] . . .	611-638
VOLKMER-RIBEIRO, C.: Evolutionary study of genus <i>Metania</i> GRAY, 1867 (Porifera - Spongillidae) I. The new species	639-649

Amazoniana 7(1), 1980

FRANKEN, W.: Studies in the catchment area of the Central Amazonian rain forest stream "Barro Branco" on the "terra firme". II. Discharge of the stream. [in German]	1-5
HEUVELDOP, J.: Bioclimate of San Carlos de Rio Negro, Venezuela. [in German]	7-17
JUNK, W.J.: The importance of water-level fluctuations for the ecology of floodplain regions, exemplified for the várzea of the Middle Amazon. [in German]	19-29
MÜLLER, P., NAGEL, P. & W. FLACKE: Ecological influence of tsetse fly control with dieltrin in the upland of Adamaoua (Cameroun). [in German]	31-48
UHERKOVICH, G. & M. FRANKEN: Periphytic algae from Central Amazonian rain forest streams. [in German]	49-79
BUCK, W.R. & R.A. PURSELL: <i>Fissidens brachypus</i> : A moss restricted to a freshwater Amazonian sponge	81-85

Amazoniana 7(2), 1981

ADIS, J.: Comparative ecological studies of the terrestrial arthropod fauna in Central Amazonian inundation-forests	87-173
--	--------

PUTHZ, V.: On new and known <i>Stenus</i> -species from Brazil (Coleoptera: Staphylinidae). 185.	
Contribution to the knowledge of Steninae. [in German]	175-189
UHERKOVICH, G.: Algae from some Amazonian waters. [in German]	191-219

Amazoniana 7(3), 1982

BOURRELLY, P. & A. COUTÉ: Some fresh-water algae of French Guiana. [in French]	221-292
PY-DANIEL, V.: Neotropical Prosimuliini (Diptera: Simuliidae). [in Portuguese]	293-333
SCHMIDT, G.W.: Primary production of phytoplankton in the three types of Amazonian waters. V. Some investigations on the phytoplankton and its primary productivity in the clear water of the lower Rio Tapajós (Pará, Brazil)	335-348
YANO, O.: Occurrence of <i>Leucophanes</i> (Leucobryaceae, Bryopsida) in Brazilian Amazonia. [in Portuguese]	349-354

Amazoniana 7(4), 1983

BRAUM, E.: Observations on a reversible lip extension and its role during emergency respiration of <i>Brycon</i> spec. (Pisces, Characidae) and <i>Colossoma macropomum</i> (Pisces, Serrasalminae). [in German]	355-374
DORN, E.: On the respiration organs of some air breathing Amazonian fishes. [in German]	375-395
JUNK, W.J., SOARES, G.M. & F.M. CARVALHO: Distribution of fish species in a lake of the Amazon river floodplain near Manaus (Lago Camaleão), with special reference to extreme oxygen conditions	397-431
SAINT-PAUL, U.: Investigations on the respiration of the Neotropical fish, <i>Colossoma macropomum</i> (Serrasalminae). The influence of weight and temperature on the routine oxygen consumption	433-443
WERDER, U.: Age determination by scale analysis in juvenile matrinhã (<i>Brycon</i> cf. <i>melanopterus</i> MÜLLER & TROSCHER, Teleostei: Characoidei) a tropical characin from the Central Amazon	445-464
WORTHMANN, H.O.: A comparative study of the growth of the postlarval and juvenile pescadas <i>Plagioscion squamosissimus</i> (HECKEL) and <i>Plagioscion monti</i> (SOARES) in a white water lake of the Central Amazon	465-477

Amazoniana 8(1), 1983

IRION, G., ADIS, J., JUNK, W.J. & F. WUNDERLICH: Sedimentological studies of the "Ilha de Marchantaria" in the Solimões/Amazon River near Manaus	1-18
KLINGE, H., FURCH, K., HARMS, E. & J. REVILLA: Foliar nutrient levels of native tree species from Central Amazonia. I. Inundation forests	19-45
WORRES, M.: Studies on the vegetation of two inundation forests in Central Amazonia - preliminary results. [in German]	47-65
FURCH, B. & P. ZIMMERMANN: Soluble pigments from the roots of the Amazonian water-hyacinth <i>Eichhornia crassipes</i> SOLMS. [in German]	67-73
FURCH, K., JUNK, W.J., DIETERICH, J. & N. KOCHERT: Seasonal variation in the major cation (Na, K, Mg, and Ca) content of the water of Lago Camaleão, an Amazonian floodplain-lake near Manaus, Brazil	75-89
BECK, L.: Soil zoology of the Amazonian inundation forests. [in German]	91-99

FRIEBE, B. & J. ADIS: Developmental cycles of Opiliones (Arachnida) in the blackwater inundation forest (igapó) of the Rio Tarumã Mirim (Central Amazonia, Brazil). [in German]	101-110
HANAGARTH, W.: Floodplains in the Peruvian Amazon region as faunal sources for agrarian areas. [in German]	111-128
STURM, H.: The soil fauna of the Andean Páramo region. [in German]	129-147
DEIMEL, C.: Plant use and diet of the Tarahumaras in the Northwest Mexican upland. [in German]	149-158

Amazoniana 8(2), 1983

PY-DANIEL, V.: Description of two new Neotropical subgenera of Simuliidae (Diptera: Culicomorpha). [in Portuguese]	159-223
KOSTE, W. & B. ROBERTSON: Taxonomic studies of the Rotifera (Phylum Aschelminthes) from a Central Amazonian várzea lake, Lago Camaleão (Ilha de Marchantaria, Rio Solimões, Amazonas, Brazil)	225-254
VOLKMER-RIBEIRO, C. & S. BECKER MACIEL: New freshwater sponges from Amazonian waters	255-264
BRAUM, E.: The status of <i>Brycon labiatus</i> STEINDACHNER 1880 (Pisces, Characoidei) and its synonym, <i>Othonophanes labiatus</i> (STEINDACHNER 1880)	265-271
THATCHER, V.E. & W.A. BOEGER: The parasitic crustaceans of fishes from the Brazilian Amazon. 10 - <i>Acusicola pellonidis</i> n.sp. (Copepoda: Cyclopidae) from <i>Pellona castelnaeana</i> (VALENCIENNES)	273-279
PETREIRE, M. Jr.: Relationships among catches, fishing effort and river morphology for eight rivers in Amazonas State (Brazil), during 1976-1978	281-296

Amazoniana 8(3), 1984

SCHELLER, U. & J. ADIS: A new species of <i>Ribautiella</i> (Myriapoda, Symphyla, Scolopendrellidae) from an Amazonian black-water inundation forest and notes on its natural history and ecology	299-310
SINGER, R.: Adaptation of higher fungi to várzea conditions	311-319
THATCHER, V.E., BOEGER, W.A. & B.A. ROBERTSON: The parasitic crustaceans of fishes from the Brazilian Amazon. 12. <i>Ergasilus hydrolicus</i> n.sp. (Copepoda: Poecilostomatoida) from <i>Hydrolycus scomberoides</i> (CUVIER)	321-326
CARVALHO, F.M. & E.K. DE RESENDE: Aspects of the biology of <i>Tocantinsia depressa</i> (Siluriformes, Auchenipteridae). [in Portuguese]	327-337
POLHEMUS, J.T. & D.A. POLHEMUS: Studies on Neotropical Veliidae (Hemiptera). VII. Descriptions of four new species of <i>Paravelia</i> BREDDIN	339-349
FERREIRA, E.J.G.: The fish fauna of Curuá-Una reservoir, Santarém, Pará. I - List and distribution of species. [in Portuguese]	351-363
GRABERT, H.: Possible migration and phylogeny of the South-American Iniidae (Cetacea, Mammalia). [in German]	365-374
MAURIÈS, J.-P.: First records of stemmiulides from Brazil: Three new species from the Manaus region, including one from the inundation forest (<i>Prostemmiulus adisi</i> n.sp.) (Myriapoda: Diplopoda: Stemmiulida). [in French]	375-387
DUSSART, B. & B. ROBERTSON: <i>Notodiptomus paraensis</i> n.sp., a new diaptomid (Crustacea, Copepoda) from the Brazilian Amazon	389-394

WERDER, U. & G.M. SOARES: Age determination by sclerite numbers, and scale variations in six fish species from the Central Amazon (Osteichthyes, Characoidei)	395-420
THATCHER, V.E. & W.A. BOEGER: The parasitic crustaceans of fishes from the Brazilian Amazon. 13. <i>Gamidactylus jaraquensis</i> gen. et sp. nov. (Copepoda: Poecilostomatoida: Vaigamidae) from the nasal fossae of <i>Semaprochilodus insignis</i> (SCHOMBURGK)	421-426
PETREIRE, M. Jr.: Erratum AMAZONIANA 8(2), 281-296, 1983; Relationships among catches, fishing effort and river morphology for eight rivers in Amazonas State (Brazil), during 1976-1978	427
WERDER, U.: Erratum AMAZONIANA 7(4), 445-464, 1983; Age determination by scale analysis in juvenile Matrinchã (<i>Brycon cf. melanopterus</i> MÜLLER & TROSCHEL, Teleostei: Characoidei) a tropical characin from the Central Amazon	427

Amazoniana 8(4), 1984

BERKENKAMP, H.O.: A new species of <i>Rivulus</i> from the state Sta. Catarina/Brazil, <i>Rivulus haraldioli</i> spec. nov. (Pisces - Rivulidae). [in German]	429-439
DE CASTRO, A.L.: A new species of <i>Prosekia</i> (Philosciidae, Isopoda) from an inundation forest (igapó) in the Central Amazon. [in Portuguese]	441-445
STURM, H. & J. ADIS: Development and mating behaviour of Meinertellidae (Machiloidea, Archaeognatha, Insecta) from the Central Amazon. [in German]	447-473
BÖTTGER, K.: Some ecological observations on necton and benthon of Guatemalan mountain streams (Central America), with special reference to the temporary Rio Cuxjá. [in German]	475-496
POLHEMUS, J.T. & D.A. POLHEMUS: Notes on Neotropical Veliidae (Hemiptera). IX: additional new species of <i>Paravelia</i> from South America	497-504
THATCHER, V.E. & W.A. BOEGER: The parasitic crustaceans of fishes from the Brazilian Amazon. 14. <i>Gamispinus diabolicus</i> gen. et spec. nov. (Copepoda: Poecilostomatoida: Vaigamidae) from the nasal fossae of <i>Ageneiosus brevifilis</i> VALENCIENNES	505-510
ERWIN, T.L.: Small terrestrial ground-beetles of the Amazon Basin (Coleoptera: Bembidiini: Tachyina and Anillina)	511-518
CARVALHO, J.C.M.: On a new species of intertidal water strider from Brazil (Hemiptera, Gerromorpha, Mesoveliidae)	519-523
CARVALHO, F.M.: Biological and ecophysiological aspects of <i>Curimata</i> (<i>Potamorhina</i>) <i>pristigaster</i> , a Neotropical characine. [in Portuguese]	525-539
VOLKMER-RIBEIRO, C.: Evolutionary study of the genus <i>Metania</i> GRAY, 1867 (Porifera: Spongiillidae): II. Redescription of two Neotropical species	541-553
KOSTE, W., ROBERTSON, B. & E. HARDY: Further taxonomical studies of the Rotifera from Lago Camaleão, a Central Amazonian várzea lake (Ilha de Marchantaria, Rio Solimões, Amazonas, Brazil)	555-576

Amazoniana 9(1), 1984

FERREIRA, E.J.G.: The fish fauna of Curuá-Una reservoir, Santarém, Pará. II - Food and feeding habits of the main species. [in Portuguese]	1-16
KOSTE, W. & E.R. HARDY: Taxonomic studies and new distribution records of Rotifera (Phylum Aschelminthes) from Rio Jatapú and Uatumã, Amazonas, Brazil	17-29
MEES, G.F.: A note on the genus <i>Tocantinsia</i> (Pisces, Nematognathi, Auchenipteridae)	31-34

SCHMIDT, J.: Heavy metal analysis in <i>Hemidactylus mabouia</i> (Geckonidae) as a method to classify urban environmental quality. [in German]	35-42
HARDY, E.R., ROBERTSON, B. & W. KOSTE: About the relationship between the zooplankton and fluctuating water levels of Lago Camaleão, a Central Amazonian várzea lake	43-52
GEISLER, R. & S.R. ANNIBAL: Ecology and conditions of breeding of the cardinal-tetra <i>Paracheirodon axelrodi</i> (Pisces, Characoidea) in the area of the Rio Negro/Brazil. [in German]	53-86
SCHWARZBOLD, A. & A. SCHÄFER: Origin and morphology of the coastal lagoons of Rio Grande do Sul - Brazil. [in Portuguese]	87-104
KLINGE, H., FURCH, K. & E. HARMS: Selected bioelements in bark and wood of native tree species from Central-Amazonian inundation forests	105-117
THATCHER, V.E. & W.A. BOEGER: The parasitic crustaceans from the Brazilian Amazon. 15. <i>Gamispatulus schizodontis</i> gen. et sp. nov. (Copepoda: Poecilostomatoida: Vaigamidae) from the nasal fossae of <i>Schizodon fasciatus</i> AGASSIZ	119-126
CHOMENKO, L. & A. SCHÄFER: Biogeographical interpretation of the distribution of <i>Littoridina</i> (Hydrobiidae), in coastal lakes of Rio Grande do Sul, Brazil. [in Portuguese]	127-146
SAINT-PAUL, U.: Investigations on the seasonal changes in the chemical composition of liver and condition from a Neotropical characoid fish <i>Colossoma macropomum</i> (Serrasalmidae)	147-158

Amazoniana 9(2), 1985

TEIXEIRA, A.S. & A. JAMIESON: Genetic variation in plasma transferrins of tambaqui, <i>Colossoma macropomum</i> (CUVIER 1818)	159-168
THATCHER, V.E. & V. PAREDES: A parasitic copepod, <i>Perulernaea gamitanae</i> gen. et sp. nov. (Cyclopoida: Lernaecidae), from the nasal fossae of a Peruvian Amazon food fish	169-175
RAPP PY-DANIEL, L.H.: <i>Dekeyseria amazonica</i> , new genus and new species from the Amazonian region, Brazil, and <i>D. scaphirhyncha</i> (KNER, 1854) new combination (Loricariidae: Siluriformes). [in Portuguese]	177-191
MAGNUSSON, W.E.: Habitat selection, parasites and injuries in Amazonian crocodilians	193-204
THATCHER, V.E. & V. PAREDES: A parasitic copepod, <i>Amplexibranchius bryconis</i> gen. et sp. nov. (Ergasilidae: Acusicolinae), from an Amazonian fish and remarks on the importance of leg morphology in this subfamily	205-214
MAHNERT, V.: Further records of pseudoscorpions (Arachnida) from the Central Amazon region (Brazil). [in German]	215-241
HOFFMAN, R.L.: A new millipede of the genus <i>Gonographis</i> from an inundation forest near Manaus, Brazil (Pyrgodesmidae)	243-246
MAGALHÃES, C.: The larval development of palaemonids from the Amazon Region reared in the laboratory. I. <i>Macrobrachium amazonicum</i> (HELLER, 1862) (Crustacea, Decapoda). [in Portuguese]	247-274
DUSSART, B.H.: Another new diaptomid (Crustacea, Copepoda) from the Brazilian Amazon	275-280

Amazoniana 9(3), 1985

ANONYMOUS: Prof. Dr. Harald Sioli to his 75th birthday. [in German, Portuguese, English]	i-iii
--	-------

KLINGE, H.: Foliar nutrient levels of native tree species from Central Amazonia.	
2. Campina	281-295
ADIS, J. & V. MAHNERT: On the natural history and ecology of Pseudoscorpiones (Arachnida) from an Amazonian blackwater inundation forest	297-314
JUNK, W.J.: Temporary fat storage, an adaptation of some fish species to the waterlevel fluctuations and related environmental changes of the Amazon river	315-351
BRAUM, E. & R. BOCK: Form and function of barbels in <i>Osteoglossum bicirrhosum</i> (Pisces Osteoglossidae) during aquatic surface respiration. [in German]	353-370
FURCH, K.: Hydrogeochemistry of freshwaters crossed by the Transamazon highway, Northern Brazil. [in German]	371-409
FURCH, B., CORRÊA, A.F.F., NUNES DE MELLO, J.A.S. & K.-R. OTTO: Light regimes in three aquatic ecosystems of different physico-chemical properties. 1. Attenuation, irradiance reflectance and comparison between downwelling, upwelling and scalar irradiances (PAR). [in German]	411-430
IRMLER, U.: Temperature dependant generationcycle for the cicindelid beetle <i>Pentacomia egregia</i> CHAUD. (Coleoptera, Carabidae, Cicindelinae) of the Amazon valley	431-439
OHLY, J.J.: Aspects of the recent development of the water buffalo husbandry in the Central Amazon region. [in German]	441-457
WORBES, M.: Structural and other adaptation to long-term flooding by trees in Central Amazonia	459-484

Amazoniana 9(4), 1986

MALTA, J.C.O. & E.N.S. SILVA: <i>Argulus amazonicus</i> n.sp., a crustacean parasite of fishes from the Brazilian Amazon (Branchiura: Argulidae). [in Portuguese]	485-492
VOLKMER-RIBEIRO, C.: Evolutionary study of the freshwater sponge genus <i>Metania</i> GRAY, 1867: III. Metaniidae, new family	493-509
SOARES, M.G.M., ALMEIDA, R.G. & W.J. JUNK: The trophic status of the fish fauna in Lago Camaleão, a macrophyte dominated floodplain lake in the middle Amazon	511-526
PETREIRE, M. Jr.: Amazon fisheries I - Variations in the relative abundance of tambaqui (<i>Colossoma macropomum</i> CUVIER, 1818) based on catch and effort data of the gill-net fisheries	527-547
LOURENÇO, W.R. & O.F. FRANCKE: A new species of <i>Chactopsis</i> from Brazil (Scorpiones, Chactidae)	549-558
LOURENÇO, W.R.: Diversity of the scorpion fauna from Amazonia; centres of endemism; new support for the theory of Pleistocene forest refuges. [in French]	559-580
MOUND, L.A. & J.M. PALMER: Patterns of speciation in Neotropical spore-feeding thrips of the genus <i>Zeugmatothrips</i> (Insecta, Thysanoptera, Phlaeothripidae)	581-594
CARVALHO, J.L. DE & B. DE MERONA: Studies on two migratory fish from lower Tocantins River before closure of Tucuruí dam. [in Portuguese]	595-607
MAGALHÃES, C.: A taxonomic revision of the Brazilian freshwater crabs of the family Pseudothelphusidae (Crustacea, Decapoda). [in Portuguese]	609-636
BICUDO, C.E. DE M.: <i>Ichthyocercus manauensis</i> , a new desmid (Zygnemaphyceae) from Northern Brazil	637-640

Amazoniana 10(1), 1986

PETREIRE, M. Jr.: Amazon fisheries II - Variations in the relative abundance of tucunará (<i>Cichla ocellaris</i> , <i>C. temensis</i>) based on catch and effort data of the trident fisheries	1-13
RAFAEL, J.A.: <i>Amazunculus</i> , a new genus of pipunculid from the Amazon basin (Diptera, Pipunculidae)	15-19
MAHNERT, V., ADIS, J. & P.F. BÜHRNHEIM: Key to the families of Amazonian Pseudoscorpiones (Arachnida). [in English, German and Portuguese]	21-40
MALTA, J.C. DE O. & A. VARELLA: <i>Ergasilus holobryconis</i> sp.n., a crustacean parasite of <i>Holobrycon pesu</i> (MÜLLER & TROSCHER), a fish from the Brazilian Amazon (Copepoda: Poecilostomatoida: Ergasilidae). [in Portuguese]	41-48
THATCHER, V.E.: The parasitic crustaceans of fishes from the Brazilian Amazon, 16. <i>Amazonicopeus elongatus</i> gen. et sp. nov. (Copepoda: Poecilostomatoida) with the proposal of Amazonicopeidae fam. nov. and remarks on its pathogenicity	49-56
REHFELDT, G.: Distribution and behaviour of libellulid dragonflies (Odonata: Libellulidae) during the dry season in Panamanian tropical forests. [in German]	57-62
MAGALHÃES, C.: The larval development of palaemonid shrimps from the Amazon Region reared in the laboratory. IV. Abbreviated development of <i>Palaemonetes ivonicus</i> HOLTHUIS, 1950 (Crustacea: Decapoda)	63-78
SEIDENSCHWARZ, F.: Comparison of riverside herb communities with weed vegetation in the tropical lowlands of Peru. [in German]	79-111
WALKER, I.: Experiments on colonization of small water bodies by Culicidae and Chironomidae as a function of decomposing plant substrates and their implications for natural Amazonian ecosystems	113-125

Amazoniana 10(2), 1987

ARAÚJO-LIMA, C.A.R.M. & E. HARDY: Biological aspects of Amazonian fishes. VIII. The food of the jaraqui, <i>Semaprochilodus insignis</i> , alevins. [in Portuguese]	127-136
VALDIVIA VILLAR, R.S.: Studies of the Neotropical cladoceran fauna (Cladocera, Chydoridae): I. Redescription of <i>Dunhevedia odontoplax</i> SARS, 1901, from Peru. [in Spanish].	137-147
DUSSART, B.H.: On some <i>Mesocyclops</i> (Crustacea, Copepoda) of South America. [in French]	149-161
SCHLÜTER, U.-B. & B. FURCH: Ecological and physiological investigations on <i>Eichhornia crassipes</i> (MART.) SOLMS. 1. The effect of different environmental conditions on the development of root colour	163-171
MATTERN, T. & B. FURCH: Ecological and physiological investigations on <i>Eichhornia crassipes</i> (MART.) SOLMS. II. Studies of root structure and the dependance of pigment deposition on the age and physiological state of the roots	173-180
SANTOS, G.M. DOS & M. JÉGU: New occurrences for <i>Gnathodolus bidens</i> and <i>Synaptolaemus cingulatus</i> and descriptions of two new species of <i>Sartor</i> (Characiformes, Anostomidae). [in Portuguese]	181-196
ADIS, J. & H. STURM: On the natural history and ecology of Meinertillidae (Archaeognatha, Insecta) from dryland and inundation forests of Central Amazonia	197-218
NOLTE, U.: <i>Campsurus notatus</i> (Polymitaecidae, Ephemeroptera) a bioturbator in várzea lakes	219-222
TURNER, P.N.: <i>Keratella</i> rotifers found in Brazil, and a survey of <i>Keratella</i> rotifers from the Neotropics	223-236
JUNK, W.J.: LOWE-McCONNELL, R.H.: Ecological studies in tropical fish communities. - Book review. [in German]	237

Amazoniana 10(3), 1988

- THATCHER, V.E.: *Asotana magnifica* n.sp. (Isopoda, Cymothoidae) an unusual parasite (commensal?) of the buccal cavities of piranhas (*Serrasalmus* sp.) from Roraima, Brazil 239-248
- FERRAZ, E. & V.E. THATCHER: *Bacudacnitis grandistomis* gen. et sp. nov. (Nematoda: Cucullanidae) an intestinal parasite of the catfish, *Pseudodoras niger* (VALENCIENNES) of the Brazilian Amazon. [in Portuguese] 249-253
- THATCHER, V.E. & M.L. CARVALHO: *Artystone minima* n.sp. (Isopoda, Cymothoidae) a body cavity parasite of the pencil fish (*Nannostomus beckfordi* GUENTHER) from the Brazilian Amazon 255-265
- MAGALHÃES, C., MALTA, J.C. DE O., ROBERTSON, B. & A. VARELLA: A catalogue of type specimens of Crustacea in the Invertebrate Collection of the Instituto Nacional de Pesquisas da Amazônia, Manaus, Brazil, up to January, 1988 267-282
- VALDIVIA VILLAR, R.S.: Checklist of freshwater Cladocera from Perú. [in Spanish] 283-297
- OLIVEIRA, E.P. DE & J.-M. THIBAUD: A new genus of Hypogastruridae (Insecta: Collembola) in Amazonia. [in French] 299-302
- KOSTE, W.: On the rotifers of some standing waters near the Biological Station Panguana in the tropical rain forest of Peru. [in German] 303-325
- LOURENÇO, W.R.: Synopsis of the scorpion fauna of the Manaus region, Amazonas State, Brazil, with description of two new species. [in French] 327-337
- FERREIRA, E., SANTOS, G.M. DOS & M. JÉGU: Ecological aspects of the fish fauna of the Mucajá River, in the Paredão Island region, Roraima, Brazil. [in Portuguese] 339-352

Amazoniana 10(4), 1989

- ADIS, J.: Illustrated key for Neotropical Myriapoda (Arthropoda). [in German and Portuguese] 353-360
- PAIVA, M.P. & F.H. NEPOMUCENO: On the reproduction in captivity of the oscar, *Astronotus ocellatus* (CUVIER), according to the mating methods (Pisces - Cichlidae) 361-377
- MAGALHÃES, C.: The larval development of palaemonid shrimps from the Amazon region reared in the laboratory. VI. Abbreviated development of *Macrobrachium nattereri* (HELLER, 1862) (Crustacea: Decapoda) 379-392
- RIGHI, G.: Three Oligochaeta, Glossoscolecidae from Amazonia. [in Portuguese] 393-399
- RAFAEL, J.A.: Description of two new species of *Eudorylas* ACZÉL (Diptera: Pipunculidae) of inundation forest and terra firme near Manaus, Amazonas, Brazil. [in Portuguese] 401-405
- KOSTE, W. & K. BÖTTGER: Rotifers from Ecuadorian waters. [in German] 407-438
- VALDIVIA VILLAR, R.S. & L. BURGER: Description of *Daphniopsis marcahuasensis* sp. nov. (Cladocera: Daphniidae) from Perú, with the inclusion of a key of the species of the genus. [in Spanish] 439-452
- FRIEBE, B.: AMAZONIANA - Contents of volumes I-X 453-485
- JUNK, W.J.: ENGELS, W. (ed.) 1987: The tropics as biotope - Book review. [in German] 487

Amazoniana 11(1), 1989

- SIOLI, H.: Dr. Hans KLINGE on his 60th birthday. [in German, Portuguese, English] i-vi
- KUBITZKI, K.: Amazon lowland and Guayana highland - Historical and ecological aspects of the development of their floras. [in German] 1-12

- MEDINA, E., DELGADO, M. & V. GARCIA: Cation accumulation and leaf succulence in *Cadonantho macradenia* J.D. SMITH (Gesneriaceae) under field conditions 13-22
- ADIS, J. & G. RIGHI: Mass migration and life cycle adaptation - a survival strategy of terrestrial earthworms in Central Amazonian inundation forests 23-30
- IRMLER, U.: Population-ecology and migration of *Dero multibranchiata* STIEREN, 1892 (Naididae, Oligochaeta) in the Central Amazon inundation forest 31-52
- JEDICKE, A., FURCH, B., SAINT-PAUL, U. & U.-B. SCHLÜTER: Increase in the oxygen concentration in Amazon waters resulting from the root exudation of two notorious water plants, *Eichhornia crassipes* (Pontederiaceae) and *Pistia stratiotes* (Araceae) 53-69
- MÜLLER, P.: Biomonitoring of chemicals on tropical ecosystems 71-89
- FURCH, K., JUNK, W.J. & Z.E.S. CAMPOS: Nutrient dynamics of decomposing leaves from Amazonian floodplain forest species in water 91-116
- STEFFAN, A.W.: Announcement - Publications on tropical entomology 117

Amazoniana 11(2), 1990

- LOURENÇO, W.R. & E. FLOREZ: Scorpions (Chelicerata) from Colombia. III. The scorpio-fauna of pacific region (Choco), with some biogeographic considerations 119-133
- FERRAZ, E. & V.E. THATCHER: *Camallanus acaudatus* sp.n. (Nematoda, Camallanidae) and a description of the male of *Camallanus tridentatus* (DRASCHE, 1984), parasites of fishes of the Brazilian Amazon. [in Portuguese] 135-145
- MANSUR, M.C.D. & M.G.O. DA SILVA: Compared morphology and microanatomy of *Bartlettia stefanensis* (MORICAND, 1856) with *Anodontites tenebricosus* (LEA, 1834) (Bivalvia, Unionoida, Muteloidea). [in Portuguese] 147-166
- WOLF, A.: Observations on the vegetation of some shallow lakes near the mouth of the Rio Ypané, Paraguay. [in German] 167-184
- KOSTE, W. & B. ROBERTSON: Taxonomic studies of the Rotifera from shallow waters on the Island of Maracá, Roraima, Brazil 185-200
- HERO, J.-M.: An illustrated key to tadpoles occurring in the Central Amazon rainforest, Manaus, Amazonas, Brasil 201-262

Amazoniana 11(3/4), 1991

- THATCHER, V.E.: Amazon fish parasites 263-571

Amazoniana 12(1), 1992

- FERRAZ, E. & V.E. THATCHER: *Paracamallanus amazonensis* sp.n. (Nematoda: Camallanidae) a parasite of the catfish, *Hypophthalmus edentatus* (Pisces: Hypophthalmidae) of the Brazilian Amazon. [in Portuguese] 1-6
- VOLKMER-RIBEIRO, C. & P.R.C. COSTA: On *Metania spinata* (CARTER, 1881) and *Metania kiliani* n.sp.: Porifera, Metaniidae VOLKMER-RIBEIRO, 1986 7-16
- WORTHMANN, H.O.: Aspects of the reproduction of two sciaenid species, the pescadas *Plagioscion squamosissimus* HECKEL 1864 and *Plagioscion monti* (SOARES 1979), Pisces, in different water types of the Central Amazon. [in German] 17-28
- RÖMBKE, J. & M. VERHAAGH: About earthworm communities in a rain forest and an adjacent pasture in Peru 29-49

SCHLÜTER, U.-B. & B. FURCH: Morphological, anatomical, and physiological investigations on the tolerance to flooding by the tree <i>Macrolobium acaciaefolium</i> , characteristic of the white- and blackwater inundation forest near Manaus, Amazonas. [in German]	51-69
FERNANDES-CORRÊA, A.F. & B. FURCH: Investigations on the tolerance of several trees to submergence in blackwater (igapó) and whitewater (várzea) inundation forests near Manaus, Central Amazonia	71-84
MANSUR, M.C.D. & R.M. VALER: Bivalve molluscs from Rio Uraricoera and Rio Branco, Roraima, Brazil. [in Portuguese]	85-100
BEGOSSI, A. & F.M. DE SOUZA BRAGA: Food taboos and folk medicine among fishermen from the Tocantins River (Brazil)	101-118
WUNDERLE, I.: Arboricolous and edaphic Oribatei (Acari) in the lowland rain forest of Panguana, Peru. [in German]	119-142

Amazoniana 12(2), 1992

WALKER, I.: The benthic litter habitat with its sediments load in the inundation forest of the Central Amazonian blackwater river Tarumã Mirim	143-153
HARDY, E.R.: Changes in species composition of Cladocera and food availability in a floodplain lake, Lago Jacaretinga, Central Amazon	155-168
SCHELLER, U.: A study of Neotropical Symphyla (Myriapoda): list of species, keys to genera and description of two new Amazonian species	169-180
AGUIAR, N.O., VICENTE DA SILVA, J. & P.F. BÜHRNHEIM: <i>Dolichowithius mediofasciatus</i> MAHNERT, 1979 (Arachnida, Pseudoscorpiones, Withiidae) phoretic on Platypodidae (Insecta, Coleoptera), in the Amazon State, Brazil. [in Portuguese]	181-185
AGUIAR, N.O. & P.F. BÜHRNHEIM: Pseudoscorpiones (Arachnida) in phoretic association with Passalidae (Insecta, Coleoptera) in the Amazon State, Brazil. [in Portuguese]	187-205
GOLOVATCH, S.I.: Review of the Neotropical fauna of the millipede family Fuhrmannodesmidae, with the description of four new species from near Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida)	207-226
GOLOVATCH, S.I.: Review of the Neotropical millipede genus <i>Onciurossoma</i> SILVESTRI, 1932, with the description of three new species from near Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida, Paradoxosomatidae)	227-237
BOZELLI, R.L.: Composition of the zooplankton community of Batata and Mussurá Lakes and of the Trombetas River, State of Pará, Brazil	239-261
KOSTE, W. & K. BÖTTGER: Rotifers from Ecuadorian waters II. [in German]	263-303
MERELES, F., DEGEN, R. & N. LOPEZ DE KOCHALCA: Humide areas in Paraguay: description of vegetation. [in Spanish]	305-316
VOLKMER-RIBEIRO, C.: The freshwater sponges in some peat-bog ponds in Brazil	317-335
VIEIRA, M.F. & J. ADIS: Abundance and biomass of <i>Paulinia acuminata</i> (DE GEER, 1773) (Orthoptera: Pauliniidae) in a várzea lake of Central Amazonia. [in Portuguese]	337-352

Amazoniana 12(3/4), 1993

MÉRONA, B. DE: Ecological conditions of the production in a floodplain island of Central Amazonia: A multidisciplinary project. [in French]	353-363
RIBEIRO, J.S.B. & A.J. DARWICH: Phytoplanktonic primary production of a fluvial island lake in the Central Amazon (Lago do Rei, Ilha do Careiro). [in Portuguese]	365-383

MOREIRA, L.C. & O. ODINETZ COLLART: Diel vertical migration of the prawn larvae of <i>Macrobrachium amazonicum</i> (HELLER, 1862) in a Central Amazonian floodplain lake, Careiro Island, Brazil. [in Portuguese]	385-398
ODINETZ COLLART, O. & L.C. MOREIRA: Fishery potential of <i>Macrobrachium amazonicum</i> in Central Amazonia (Careiro Island): abundance and size variation. [in Portuguese]	399-413
MÉRONA, B. DE & M.M. BITTENCOURT: Fish communities of the "Lago do Rei", a floodplain lake in the Central Amazon: a general description. [in French]	415-441
MÉRONA, B. DE & M.M. BITTENCOURT: Factors and constraints of the commercial fishing activity in the Central Amazon: a case study of a floodplain lake (The "Lago do Rei", Amazon, Brazil). [in Portuguese]	443-465
JUNK, W.J. & M.T.F. PIEDADE: Herbaceous plants of the Amazon floodplain near Manaus: Species diversity and adaptations to the flood pulse	467-484
ALFAIA, S.S. & N.P. FALÇÃO: Study of nutrient dynamics in floodplain soils of the Careiro Island - Central Amazonia. [in Portuguese]	485-493
OLIVEIRA, E.P. DE: Influence of different cropping systems on the density of terrestrial invertebrates in várzea soil of Central Amazonia. [in Portuguese]	495-508
GRENAND, F. & P. GRENAND: Historical stages of the várzea settlements in the Amazon. [in Portuguese]	509-526
GUILLAUMET, J.-L., LOURD, M., BAHRI, S. & A.A. DOS SANTOS: Agricultural systems on Careiro Island. [in Portuguese]	527-550
BAHRI, S.: Agroforestry systems on Careiro Island. [in French]	551-563
LOURD, M.: The main pathogens of cultivated plants on Careiro Island. [in Portuguese]	565-576

Amazoniana 13(1/2), 1994

BECK, L.: Obituary (Dr. Bernd Friebe 1952-1994). [in German]	1-2
BOEGER, R.T.: Morpho-anatomical adaptation of <i>Polygonum spectabile</i> MART. (Polygonaceae) to the flooding in the Amazonian várzea. [in Portuguese]	3-11
BOEGER, W.A. & E. BELMONT-JÉGU: Neotropical Monogenoidea. 21. <i>Trinigyrus mourei</i> sp.n. (Dactylogyridae) from the gills of the Amazonian catfish <i>Hypostomus marginatus</i> (Loricariidae)	13-16
BOZELLI, R.L.: Zooplankton community density in relation to water level fluctuations and inorganic turbidity in an Amazonian lake, "Lago Batata", State of Pará, Brazil	17-32
ESTEVEZ, F. DE A., THOMAZ, S.M. & F. ROLAND: Comparison of the metabolism of two floodplain lakes of the Trombetas River (Pará, Brazil) based on a study of diel variation	33-46
BARTHLOTT, W., RIEDE, K. & M. WOLTER: Mimicry and ultrastructural analogy between the semi-aquatic grasshopper <i>Paulinia acuminata</i> (Orthoptera: Pauliniidae) and its foodplant, the water-fern <i>Salvinia auriculata</i> (Filicatae: Salviniaceae)	47-58
ZALESSKAJA, N.T.: The centipede genus <i>Lamyctes</i> MEINERT, 1868, in the environs of Manaus, Central Amazonia, Brazil (Chilopoda, Lithobiomorpha, Henicopidae)	59-64
SCHELLER, U.: Pauropoda of a secondary forest near the Tarumã Mirim River, Amazonas, Brazil (Myriapoda, Pauropoda, Pauropodidae)	65-130
GOLOVATCH, S.I.: Further new Fuhrmannodesmidae from the environs of Manaus, Central Amazonia, Brazil, with a revision of <i>Cryptogonodesmus</i> SILVESTRI, 1898 (Diplopoda, Polydesmida)	131-161
PEREIRA, L.A., MINELLI, A. & F. BARBIERI: New and little known geophilomorph centipedes from Amazonian inundation forests near Manaus, Brazil (Chilopoda: Geophilomorpha)	163-204
GAMA, DA M.M. & E. PEREIRA DE OLIVEIRA: Evolutionary systematics of <i>Xenylla</i> . XVI. Description of a new species in Amazonia (Insecta: Collembola). [in Spanish]	205-208

Amazoniana 13(3/4), 1995

DELOBEL, A., COUTURIER, G., KAHN, F. & J.A. NILSSON: Trophic relationships between palms and bruchids (Coleoptera: Bruchidae: Pachymerini) in Peruvian Amazonia	209-219
SILVA, C.P.D.: Community structure of fish in urban and natural streams in the Central Amazon	221-236
WALKER, I.: Sedimentation in the inundation forest flanking the Central Amazonian blackwater stream Rio Tarumã Mirim (Manaus, Amazonas State)	237-243
PANOSSO, R. DE F., MUEHE, D. & F. DE A. ESTEVES: Morphological characteristics of an Amazon floodplain lake (Lake Batata, Pará State, Brazil)	245-258
GARCIA, M.V.B. & J. ADIS: Nesting behaviour of <i>Trypoxylon (Trypargilum) rogenhoferi</i> KOHL (Hymenoptera, Sphecidae) in a várzea inundation forest of Central Amazonia. [in Portuguese]	259-282
HOFFMAN, R.L.: Redefinition of the milliped genus <i>Pycnotropis</i> , and description of a new species from Manaus, Brazil (Polydesmida: Platyrrhacidae: Euryurinae)	283-292
THATCHER, V.E.: <i>Anphira xinguensis</i> sp. nov. (Isopoda, Cymothoidae) a gill chamber parasite of an Amazonian serrasalmid fish, <i>Ossobius xinguense</i> JÉGU, 1992	293-303
THATCHER, V.E.: Comparative pleopod morphology of eleven species of parasitic isopods from Brazilian fish	305-314
KURY, A.B.: A review of <i>Huralvioides</i> (Opiliones, Gonyleptidae, Pachylinae)	315-323
PEREIRA, L.A., MINELLI, A. & F. BARBIERI: Description of nine new centipede species from Amazonia and related matters on Neotropical geophilomorphs (Chilopoda: Geophilomorpha)	325-416
GERECKE, R.: Water mites from Ecuador I. A new genus of the family Anisitsiellidae KOENIKE, 1909 (Acari: Hydrachnellae) from a rain forest stream in the province of Esmeraldas	417-422

Amazoniana 14(1/2), 1996

HOFFMAN, R.L., GOLOVATCH, S.I., ADIS, J. & J.W. DE MORAIS: Practical keys to the orders and families of millipedes of the Neotropical region (Myriapoda: Diplopoda)	1-35
HUSZAR, V.L.M.: Planktonic algae, other than desmids, of three Amazonian systems (Lake Batata, Lake Mussurá and Trombetas River), Pará, Brazil	37-73
SOPHIA, M.G. & V.L.M. HUSZAR: Planktonic desmids of three Amazonian systems (Lake Batata, Lake Mussurá and Trombetas River), Pará, Brazil	75-90
LIMA, I.M.B.: A new species of <i>Circoniscus</i> PEARSE, 1917 (Crustacea: Isopoda: Scleropactidae) from the Amazonian region of Brazil. [in Portuguese]	91-100
LIMA, I.M.B.: A new species of <i>Prosekia</i> VANDEL, 1968 (Philosciidae: Isopoda) from Amazonia of Brazil. [in Portuguese]	101-108
GOLOVATCH, S.I.: Two new and one little-known species of the millipede family Pyrgodesmidae from near Manaus, Central Amazonia, Brazil (Diplopoda: Polydesmida)	109-120
THATCHER, V.E.: <i>Braga amapaensis</i> n.sp. (Isopoda: Cymothoidae) a mouth cavity parasite of the Amazonian fish, <i>Acestrorhynchus guyanensis</i> MENEZES, with a redefinition of the genus <i>Braga</i>	121-129
THATCHER, V.E.: A new genus and three new species of Monorchiidae (Trematoda) from freshwater fish of Rondônia State, Brazil	131-136

GOLOVATCH, S.I.: A new species of <i>Cutervodesmus</i> KRAUS, 1957, from the environs of Manaus, Central Amazonia, Brazil, with notes on the genus (Diplopoda: Polydesmida: Fuhrmannodesmidae)	137-141
THATCHER, V.E. & M. JÉGU: Intestinal helminths as population markers of the Amazonian fish <i>Mylesinus paraschomburgkii</i> , with descriptions of five new genera and seven new species of trematodes	143-155
ENRICH-PRAST, A. & F. DE A. ESTEVES: Seasonal nitrogen fixation in the sediment of an Amazonian lake impacted by bauxite tailings (Batata Lake-Pará)	157-163
SILVA, V.M.F. DA & R.C. BEST: Freshwater dolphin/fisheries interaction in the Central Amazon (Brazil)	165-175

Amazoniana 14(3/4), 1997

ROSSO DE FERRADÁS, B.E. & K. BÖTTGER: Water mites from stagnant waters of Paraguay	177-212
CONDÉ, B.: Supplementary description of the Brazilian palpigrade <i>Eukoenenia janetscheki</i> CONDÉ. [in French]	213-220
JUNK, W.J.: Ecological studies on crocodilans in Suriname. P.E. OUBOTER. Book review	221
SCHELLER, U.: Pauropoda from upland and inundation forests in Central Amazonia, Brazil (Myriapoda, Pauropoda: Millotauropodidae, Pauropodidae)	223-300
GOLOVATCH, S.I., HOFFMAN, R.L., ADIS, J., VOHLAND, K. & A. MÁRMOL: On the identity of further two millipede species (Diplopoda) from the environs of Manaus, Central Amazonia,	301-309
THATCHER, V.E.: Mouthpart morphology of six freshwater species of Cymothoidae (Isopoda) from Amazonian fish compared to that of three marine forms, with the proposal of Artystonenae subfam. nov.	311-322
GOLOVATCH, S.I.: On some further Neotropical Pyrgodesmidae, partly from the environs of Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida)	323-334
AMARAL, I.L. DO, ADIS, J. & G.T. PRANCE: On the vegetation of a seasonal mixedwater inundation forest near Manaus, Brazilian Amazonia	335-347
DREHER MANSUR, M.C., VOLKMER-RIBEIRO, C. & J. LOPES DE CARVALHO: <i>Paxyodon symmatophorus</i> (MEUSCHEN, 1781) (Mollusca, Bivalvia, Unionoida) in the Curuá-Una reservoir, Santarém, Pará, Brazil	349-351
TALLING, J.F.: The Central Amazon floodplain. Ecology of a pulsing system. W.J. JUNK (ed.). - Book review	353

Amazoniana 15(1/2), 1998

CALLISTO, M., ESTEVES, F. DE A., GONÇALVES, J.F. Jr. & J.J.L. FONSECA: Benthic macro-invertebrates as indicators of ecological fragility of small rivers ('igarapés') in a bauxite mining region of Brazilian Amazonia	1-9
VÁSQUEZ, E., PARDO, M.J., ZOPPI DE ROA, E. & C. LÓPEZ: Rotifer fauna from Venezuela	11-24
DÍAZ-CASTRO, J.G. & E.R. HARDY: Life history of <i>Moina micrura</i> (KURZ) fed with three algae species, in the laboratory	25-34
NESSIMIAN, J.L., DORVILLÉ, L.F.M., SANSEVERINO, A.M. & D.F. BAPTISTA: Relation between flood pulse and functional composition of the macroinvertebrate benthic fauna in the lower Rio Negro, Amazonas, Brazil	35-50

THATCHER, V.E.: Description of adults of <i>Octospiniferoides incognita</i> SCHMIDT & HUGGHINS 1973 (Acanthocephala: Neoechinorhynchidae) from a fish of Rondônia State, Brazil	51-55
GOLOVATCH, S.I. & J. ADIS: Description of <i>Taulidesmella tabatinga</i> n.sp. (Diplopoda, Polydesmida, Pyrgodesmidae) from Amazon River floodplains, with notes on its distribution and ecology	57-66
GOLOVATCH, S.I., VOHLAND, K., HOFFMAN, R.L., ADIS, J., MÁRMOL, A., BACHMANN, L. & J. TOMIUK: Review of the Neotropical millipede genus <i>Pycnotropis</i> CARL, 1914 (Diplopoda, Polydesmida, Aphelidesmidae)	67-102
THATCHER, V.E. & M. JÉGU: Amphistomes as species markers of the serrasalmid fish, <i>Myelus ternetzi</i> (NORMAN), from French Guiana, with descriptions of two new species and one new genus	103-112
PAROLIN, P.: Floristic composition and structure of two stands of <i>Senna reticulata</i> differing in age	113-128
VOHLAND, K.: Review of the millipede subfamily Amplininae (Diplopoda, Polydesmida, Aphelidesmidae) with remarks on phylogeny and the description of some new South American genera and species	129-163

Amazoniana 15(3/4), 1999

JUNK, W.J.: Obituary Dr. Hans Klinge (1928-1999)	165-168
SCHELLER, U.: The taxonomic composition and affinities of the Brazilian Pauropoda with description of three new species from Central Amazonia (Myriapoda, Pauropoda: Pauropodidae)	169-182
THATCHER, V.E. & I. SCHINDLER: <i>Artystone bolivianensis</i> n.sp. (Isopoda, Cymothoidae) from a loricariid catfish of the Bolivian Amazon	183-191
LEAL, J.J.F. & F. DE A. ESTEVES: Density and biomass of <i>Campsurus</i> sp. (Ephemeroptera) and other macroinvertebrates in an Amazonian lake impacted by bauxite tailings (Lago Batata, Pará, Brazil)	193-209
ZOMPRO, O. & I. FRITZSCHE: <i>Lucihormetica fenestrata</i> n.gen., n.sp., the first record of luminescence in an orthopteroid insect (Dictyoptera: Blaberidae: Blaberinae: Brachycolini)	211-219
GOLOVATCH, S.I.: On six new and some older Pyrgodesmidae from the environs of Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida)	221-238
ISHII, K., NGUYEN DUY-JACQUEMIN, M. & B. CONDÉ: The first penicillate millipedes from the vicinity of Manaus, Central Amazonia, Brazil (Diplopoda: Polyxenida)	239-267
GOLOVATCH, S.I., HOFFMAN, R.L. & J. ADIS: A new species of <i>Chondrodesmus</i> SILVESTRI, 1897, from near Tefé, Central Amazonia, Brazil, with first ecological observations (Diplopoda, Polydesmida, Chelodesmidae)	269-277
BRETFELD, G. & U. GAUER: A second species of the genus <i>Sturmius</i> BRETFELD, 1994: <i>Sturmius truncivivus</i> n.sp. from Brazil (Insecta, Collembola, Symphypleona)	279-284
ADIS, J., PADOCH, C., AYRES, J.M., PINEDO-VASQUEZ, M. & A. HENDERSON (eds.): Várzea - Diversity, development, and conservation of Amazonia's whitewater floodplains. - Book review	285-286
ADIS, J., PARROTTA, J.A., FRANCIS, J.K. & R.R. DE ALMEIDA: Trees of the Tapajós - A photographic field guide. - Book review	287
ANONYMOUS: Contents of Amazoniana Volumes 1 (1965) - 15 (1999)	289-326

Part B: Alphabetical order

ADIS, J. (1981): Comparative ecological studies of the terrestrial arthropod fauna in Central Amazonian inundation forests	7(2): 87-173
ADIS, J. (1989): Illustrated key for Neotropical Myriapoda (Arthropoda). [in German and Portuguese]	10(4): 353-360
ADIS, J. (1999): PADOCH, D., AYRES, J.M., PINEDO-VASQUEZ, M. & A. HENDERSON (eds.): Várzea - Diversity, development, and conservation of Amazonia's whitewater floodplains. - Book review	15(3/4): 285-286
ADIS, J. (1999): PARROTTA, J.A., FRANCIS, J.K. & R.R. DE ALMEIDA: Trees of the Tapajós - A photographic field guide. - Book review	15(3/4): 287
ADIS, J. & V. MAHNERT (1985): On the natural history and ecology of Pseudoscorpiones (Arachnida) from an Amazonian blackwater inundation forest	9(3): 297-314
ADIS, J. & G. RIGHI (1989): Mass migration and life cycle adaption - a survival strategy of terrestrial earthworms in Central Amazonian inundation forests	11(1): 23-30
ADIS, J. & H. STURM (1987): On the natural history and ecology of Meinertellidae (Archaeognatha, Insecta) from dryland and inundation forests of Central Amazonia	10(2): 197-218
AGUIAR, N.O. & P.F. BÜHRNHEIM (1992): Pseudoscorpiones (Arachnida) in phoretic association with Passalidae (Insecta, Coleoptera) in the Amazon State, Brazil. [in Portuguese]	12(2): 187-205
AGUIAR, N.O., VICENTE DA SILVA, J. & P.F. BÜHRNHEIM (1992): <i>Dolichowithius mediofasciatus</i> MAHNERT, 1979 (Arachnida, Pseudoscorpiones, Withiidae) phoretic on Platypodidae (Insecta, Coleoptera), in the Amazon State, Brazil. [in Portuguese]	12(2): 181-185
ALDER, D., BRÜNIG, E.F., HEUVELDOP, J. & J. SMITH (1979) Structure and functions in the rain forest of the international Amazon-ecosystem-project: Preliminary communication about the classification of stands, variation of stand structure and precipitation characteristics. [in German]	6(4): 423-444
ALFAIA, S.S. & N.P. FALÇÃO (1993): Study of nutrient dynamics in floodplain soils of the Careiro Island - Central Amazonia. [in Portuguese]	12(3/4): 485-493
ALTHER, E. (1972): Contribution to the knowledge of nematodes of the Amazon estuary. [in French]	3(2): 141-174
ALTHER, E. (1977): Contribution to the knowledge of nematodes of the Amazon estuary (2nd part). [in French]	6(2): 145-159
AMARAL, I.L. DO, ADIS, J. & G.T. PRANCE (1997): On the vegetation of a seasonal mixedwater inundation forest near Manaus, Brazilian Amazonia	14(3/4): 335-347
ANONYMOUS (1970): Symposium Proceedings on Environment in Amazonia. Part I	2(4): 497-501
ANONYMOUS (1972): The ion load of the Rio Negro, Amazon state, Brazil, according to investigations of Dr. Harald Ungemach. [in German]	3(2): 175-185
ANONYMOUS (1972): Rainwater analyses from Central Amazonia, carried out in Manaus, Amazon, Brazil, by Dr. Harald Ungemach. [in German]	3(2): 186-198
ANONYMOUS (1985): Prof. Dr. Harald Sioli to his 75th birthday. [in German, Portuguese, English]	9(3): i-iii
ANONYMOUS (1999): Contents of Amazoniana Volumes 1 (1965) - 15 (1999)	15(3/4): 289-326
ARAUJO-LIMA, C.A.R.M. & E. HARDY (1987): Biological aspects of Amazonian fishes. VIII. The food of the jaraqui, <i>Semaprochilodus insignis</i> , alevins. [in Portuguese]	10(2): 127-136
BAHRI, S. (1993): Agroforestry systems on Careiro Island. [in French]	12(3/4): 551-563

- BARTHLOTT, W., RIEDE, K. & M. WOLTER (1994): Mimicry and ultrastructural analogy between the semi-aquatic grasshopper *Paulinia acuminata* (Orthoptera: Pauliniidae) and its foodplant, the water-fern *Salvinia auriculata* (Filicatae: Salviniaceae) 13(1/2): 47-58
- BATISTA, A. D. DA C. & H. SIOLI (1965): Introduction. [in Portuguese] 1(1): 5-6
- BATISTA, A. D. DA C. & H. SIOLI (1965): Introduction. [in German] 1(1): 7-9
- BECK, L. (1968): On the biology of some arachnids in the tropical forest of the Reserva Ducke (INPA, Manaus, Brazil). [in Portuguese] 1(3): 247-250
- BECK, L. (1971): Zoological soil classification and characterization of the Amazonian rain forest. [in German] 3(1): 69-132
- BECK, L. (1976): On the mass migration of the macro-arthropod fauna of the soil in inundation forests of the Central Amazon region. [in German] 6(1): 1-20
- BECK, L. (1983): Soil zoology of the Amazonian inundation forests. [in German] 8(1): 91-99
- BECK, L. (1994): Obituary (Dr. Bernd Friebe 1952-1994). [in German] 13(1/2): 1-2
- BEGOSSI, A. & F.M. DE SOUZA BRAGA (1992): Food taboos and folk medicine among fishermen from the Tocantins River (Brazil) 12(1): 101-118
- BERKENKAMP, H.O. (1984): A new species of *Rivulus* from the state Sta. Catarina/Brazil, *Rivulus haraldioli* spec. nov. (Pisces - Rivulidae). [in German] 8(4): 429-439
- BICUDO, C.E. DE M. (1986): *Ichthyocercus manauensis*, a new desmid (Zygnemaphyceae) from Northern Brazil 9(4): 637-640
- BITTNER, A. (1979): Serumolality and hermatocryal value of Amazonian fresh-water rays (Potamotrygonidae) during adaptation to salt-water. [in German] 6(4): 445-449
- BOEGER, R.T. (1994): Morpho-anatomical adaptation of *Polygonum spectabile* MART. (Polygonaceae) to the flooding in the Amazonian várzea. [in Portuguese] 13(1/2): 3-11
- BOEGER, W.A. & E. BELMONT-JÉGU (1994): Neotropical Monogenoidea. 21. *Trinigyrus mourei* sp.n. (Dactylogyridae) from the gills of the Amazonian catfish *Hypostomus marginatus* (Loricariidae) 13(1/2): 13-16
- BÖTTGER, K. (1984): Some ecological observations on necton and benthon of Guatemalan mountain streams (Central America), with special reference to the temporary Río Cuxjá. [in German] 8(4): 475-496
- BONETTO, A. (1972): A new species of Monocondylaeinae from the Amazon basin, and some considerations on this subfamily in the hydrographic systems of South America 3(2): 224-230
- BOURRELLY, P. & A. COUTÉ (1982): Some fresh-water algae of French Guiana. [in French] 7(3): 221-292
- BOZELLI, R.L. (1992): Composition of the zooplankton community of Batata and Mussurá Lakes and of the Trombetas River, State of Pará, Brazil 12(2): 239-261
- BOZELLI, R.L. (1994): Zooplankton community density in relation to water level fluctuations and inorganic turbidity in an Amazonian lake, "Lago Batata", State of Pará, Brazil 13(1/2): 17-32
- BRANDORFF, G.-O. (1973): New free living calanoid copepods (Crustacea) from the Amazon region. [in German] 4(2): 205-218
- BRANDORFF, G.-O. (1973): The Neotropical genus *Rhacodiptomus* KIEFER (Crustacea, Copepoda), with description of two new species. [in German] 4(4): 341-365
- BRAUM, E. (1983): Observations on a reversible lip extension and its role during emergency respiration of *Brycon* spec. (Pisces, Characidae) and *Colossoma macropomum* (Pisces, Serrasalminidae). [in German] 7(4): 355-374

- BRAUM, E. (1983): The status of *Brycon labiatus* STEINDACHNER 1880 (Pisces, Characoidei) and its synonym, *Othonophanes labiatus* (STEINDACHNER 1880) 8(2): 265-271
- BRAUM, E. & R. BOCK (1985): Form and fuction of barbels in *Osteoglossum bicirrhosum* (Pisces Osteoglossidae) during aquatic surface respiration. [in German] 9(3): 353-370
- BRETFELD, G. & U. GAUER (1999): A second species of the genus *Sturmius* BRETFELD, 1994: *Sturmius truncivivus* n.sp. from Brazil (Insecta, Collembola, Symphypleona) 15(3/4): 279-284
- BRINKMANN, W.L.F. & A. DOS SANTOS (1970): Natural waters in Amazonia. III. Ammonium Molybdate-reactive silica 2(4): 443-448
- BRINKMANN, W.L.F. & A.N. VIEIRA (1970): Some remarks on UV-radiation at "Reserva Florestal Ducke" forest pilot scheme near Manaus, Amazon 2(3): 235-243
- BRÜNIG, E.F. (1973): Species richness and stand diversity in relations to site and succession of forests in Sarawak and Brunei (Borneo) 4(3): 293-320
- BRÜNIG, E.F. (1978): Variation of the structure in the rain forest of San Carlos de Rio Negro. [in German] 6(3): 275-277
- BUCK, W.R. & R.A. PURSELL (1980): *Fissidens brachypus*: A moss restricted to a freshwater Amazonian sponge 7(1): 81-85
- BUDOWSKI, G. (1976): Why save tropical rain forests? Some arguments for campaigning conservationists 5(4): 529-538
- CALLISTO, M., ESTEVES, F. DE A., GONÇALVES, J.F. Jr. & J.J.L. FONSECA (1998): Benthic macro-invertebrates as indicators of ecological fragility of small rivers ('igarapés') in a bauxite mining region of Brazilian Amazonia 15(1/2): 1-9
- CARVALHO, F.M. (1984): Biological and ecophysiological aspects of *Curimata (Potamorhina) pristigaster*, a Neotropical characine. [in Portuguese] 8(4): 525-539
- CARVALHO, F.M. & E.K. DE RESENDE (1984): Aspects of the biology of *Tocantinsia depressa* (Siluriformes, Auchenipteridae). [in Portuguese] 8(3): 327-337
- CARVALHO, J.C.M. (1984): On a new species intertidal water strider from Brazil (Hemiptera, Gerromorpha, Mesoveliidae) 8(4): 519-523
- CARVALHO, J.L. DE & B. DE MERONA (1986): Studies on two migratory fish from lower Tocantins River before closure of Tucuruí dam. [in Portuguese] 9(4): 595-607
- CERQUEIRA, N.L. & J.A. NUNES DE MELLO (1967): Simuliidae of Amazonia II. Description of *Simulium goeldii* sp.n. (Diptera, Nematocera). [in Portuguese] 1(2): 125-130
- CERQUEIRA, N.L. & J.A. NUNES DE MELLO (1968): Simuliidae of Amazonia IV. Description of *Simulium fulvinotum* sp.n. (Diptera, Nematocera). [in Portuguese] ... 1(3): 205-210
- CHOMENKO, L. & A. SCHÄFER (1984): Biogeographical interpretation of the distribution of *Littoridina* (Hydrobiidae), in coastal lakes of Rio Grande do Sul, Brazil. [in Portuguese] 9(1): 127-146
- CONDÉ, B. (1997): Supplementary description of the Brazilian palpi-grade *Eukoenenia janetscheki* CONDÉ. [in French] 14(3/4): 213-220
- DE CARLO, J.A. (1967): A new species of the genus *Ranatra* and new species of Naucoridae (Hemiptera). [in Spanish] 1(2): 189-200
- DE CASTRO, A.L. (1984): A new species of *Prosekia* (Phiolosciidae, Isopoda) from an inundation forest (igarapé) in the Central Amazon. [in Portuguese] 8(4): 441-445
- DEIMEL, C. (1983): Plant use and diet of the Tarahumaras in the Northwest Mexican upland. [in German] 8(1): 149-158
- DELOBEL, A., COUTURIER, G., KAHN, F. & J.A. NILSSON (1995): Trophic relationships between palms and bruchids (Coleoptera: Bruchidae: Pachymerini) in Peruvian Amazonia 13(3/4): 209-219

DÍAZ-CASTRO, J.G. & E.R. HARDY (1998): Life history of *Moina micrura* (KURZ) fed with three algae species, in the laboratory 15(1/2):25-34

DORN, E. (1983): On the respiration organs of some air breathing Amazonian fishes. [in German] 7(4): 375-395

DREHER MANSUR, M.C., VOLKMER-RIBEIRO, C. & J. LOPES DE CARVALHO (1997): *Paxyodon symmatophorus* (MEUSCHEN, 1781) (Mollusca, Bivalvia, Unionoida) in the Curuá-Una reservoir, Santarém, Pará, Brazil 14(3/4): 349-351

DUSSART, B.H. (1985): Another new diaptomid (Crustacea, Copepoda) from the Brazilian Amazon 9(2): 275-280

DUSSART, B.H. (1987): On some *Mesocyclops* (Crustacea, Copepoda) of South America. [in French] 10(2): 149-161

DUSSART, B.H. & B. ROBERTSON (1984): *Notodiaptomus paraensis* n.sp., a new diaptomid (Crustacea, Copepoda) from the Brazilian Amazon 8(3): 389-394

EDWARDS, A.M.C. & J.B. THORNES (1970): Observations on the dissolved solids of the Casiquiare and Upper Orinoco, April - June, 1968 2(3): 245-256

ENRICH-PRAST, A. & F. DE A. ESTEVES (1996): Seasonal nitrogen fixation in the sediment of an Amazonian lake impacted by bauxite tailings (Batata Lake-Pará) 14(1/2): 157-163

ERWIN, T.L. (1984): Small terrestrial ground-beetles of the Amazon Basin (Coleoptera: Bembidiini: Tachyina and Anillina) 8(4): 511-518

ESTEVES, F. DE A., A. THOMAZ, S.M. & F. ROLAND (1994): Comparison of the metabolism of two floodplain lakes of the Trombetas River (Pará, Brazil) based on a study of diel variations 13(1/2): 33-46

FASSBENDER, H.W. (1979): On the question of the water supply of *Pinus caribaea*-plantations in eastern Venezuela. [in German] 6(4): 451-457

FERNANDES-CORRÊA, A.F. & B. FURCH (1992) Investigations on the tolerance of several trees to submergence in blackwater (igapó) and whitewater (várzea) inundation forests near Manaus, Central Amazonia 12(1): 71-84

FERRAZ, E. & V.E. THATCHER (1988): *Bacudacnitis grandistomis* gen. et sp. nov. (Nematoda: Cucullanidae) an intestinal parasite of the catfish, *Pseudodoras niger* (VALENCIENNES) of the Brazilian Amazon. [in Portuguese] 13(3): 249-253

FERRAZ, E. & V.E. THATCHER (1990): *Camallanus acaudatus* sp.n. (Nematoda, Camallanidae) and a description of the male of *Camallanus tridentatus* (DRASCHE, 1984), parasites of fishes of the Brazilian Amazon. [in Portuguese] 11(2): 135-145

FERRAZ, E. & V.E. THATCHER (1992): *Paracamallanus amazonensis* sp.n. (Nematoda: Camallanidae) a parasite of the catfish, *Hypophthalmus edentatus* (Pisces: Hypophthalmidae) of the Brazilian Amazon. [in Portuguese] 12(1): 1-6

FERREIRA, E.J.G. (1984): The fish fauna of Curuá-Una reservoir, Santarém, Pará. I - List and distribution of species. [in Portuguese] 8(3): 351-363

FERREIRA, E.J.G. (1984): The fish fauna of Curuá-Una reservoir, Santarém, Pará. II - Food and feeding habits of the main species. [in Portuguese] 9(1): 1-16

FERREIRA, E., SANTOS, G.M. DOS & M. JÊGU (1988): Ecological aspects of the fish fauna of the Mucajá River, in the Paredão Island region, Roraima, Brazil. [in Portuguese] 10(3): 339-352

FITTKAU, E.J. (1968): *Siolimya amazonica* n.gen. n.spec., a chironomid capable of flight (Diptera) with a hypopygium inversum. [in German] 1(3): 259-265

FITTKAU, E.J. (1968): A new Tanypodinae-genus, *Djalmabatista* (Chironomidae, Dipt.), from the Brazilian Amazon region. [in German] 1(4): 327-349

FITTKAU, E.J. (1973): Crocodiles and the nutrient metabolism of Amazonian waters 4(1): 103-133

FITTKAU, E.J. (1973): Species richness of Amazonian biotopes from the ecological point of view. [in German] 4(3): 321-340

FITTKAU, E.J. (1974): On the ecological classification of Amazonia. I. The geological development of Amazonia. [in German] 5(1): 77-134

FLINT, O.S. Jr. (1971): Studies of Neotropical caddisflies, XII: Rhyacophilidae, Glossosomatidae, Philopotamidae, and Psychomyiidae from the Amazon Basin (Trichoptera) 3(1): 7-67

FLINT, O.S. Jr. (1978): Studies of Neotropical caddisflies. XXII: Hydropsychidae of the Amazon Basin (Trichoptera) 6(3): 373-421

FÖRSTER, K. (1969): Amazonian desmids. 1st part: Area Santarém. [in German] 2(1/2): 5-232

FÖRSTER, K. (1974): Amazonian desmids. 2nd part: Area Maués - Abacaxis. [in German] 5(2): 135-242

FRÄNZLE, O. (1976): The water conservation of the Amazonian rain forest and its influence by man. [in German] 6(1): 21-46

FRÄNZLE, O. (1978): The structure and carrying capacity of ecosystems. [in German] 6(3): 279-297

FRANKEN, W. (1979): Studies in the catchment area of the Central Amazonian rain forest stream "Barro Branco" on the "terra firme". I. Discharge behavior of the stream. [in German] 6(4): 459-466

FRANKEN, W. (1980): Studies in the catchment area of the Central Amazonian rain forest stream "Barro Branco" on the "terra firme". II. Discharge of the stream. [in German] 7(1): 1-5

FRIEBE, B. (1989): AMAZONIANA - Contents of volumes I-X 10(4): 453-485

FRIEBE, B. & J. ADIS (1983): Developmental cycles of Opiliones (Arachnida) in the blackwater inundation forest (igapó) of the Rio Tarumã Mirim (Central Amazonia, Brazil). [in German] 8(1): 101-110

FURCH, B., CORRÊA, A.F.F., NUNES DE MELLO, J.A.S. & K.-R. OTTO (1985): Light regimes in three aquatic ecosystems of different physico-chemical properties. I. Attenuation, irradiance reflectance and comparison between downwelling, upwelling and scalar irradiances (PAR). [in German] 9(3): 411-430

FURCH, B. & P. ZIMMERMANN (1983): Soluble pigments from the roots of the Amazonian water-hyacinth *Eichhornia crassipes* SOLMS. [in German] 8(1): 67-73

FURCH, K. (1985): Hydrogeochemistry of freshwaters crossed by the Transamazon highway, Northern Brazil. [in German] 9(3): 371-409

FURCH, K., JUNK, W.J. & Z.E.S. CAMPOS (1989): Nutrient dynamics of decomposing leaves from Amazonian floodplain forest species in water 11(1): 91-116

FURCH, K., JUNK, W.J., DIETERICH, J. & N. KOCHERT (1983): Seasonal variation in the major cation (Na, K, Mg, and Ca) content of the water of Lago Camaleão, an Amazonian floodplain-lake near Manaus, Brazil 8(1): 75-89

GAMA, DA M.M. & E. PEREIRA DE OLIVEIRA (1994): Evolutionary systematics of *Xenylla*. XVI. Description of a new species in Amazonia (Insecta: Collembola). [in Spanish] 13(1/2): 205-208

GARCIA, M.V.B. & J. ADIS (1995): Nesting behaviour of *Trypoxylon (Trypargilum) rogenhoferi* KOHL (Hymenoptera, Sphecidae) in a várzea inundation forest of Central Amazonia. [in Portuguese] 13(3/4): 259-282

GEISLER, R. (1967): On the limnochemistry of the Igarapé Prêto. [in German] 1(2): 117-123

GEISLER, R. & S.R. ANNIBAL (1984): Ecology and conditions of breeding of the cardinal-tetra *Paracheirodon axelrodi* (Pisces, Characoidea) in the area of the Rio Negro/Brazil. [in German] 9(1): 53-86

GEISLER, R. & J. SCHNEIDER (1976): The element matrix of Amazon waters and its relationship with the mineral content of fishes. (Determinations using Neutron Activation Analysis) 6(1): 47-65

GÉRY, J. (1970): The genus *Iguanodectes* COPE (Pisces, Characoidei). [in French] 2(4): 417-433

- GÉRY, J. (1979): The Serrasalminae (Pisces, Characoidei) from the Serra do Roncador, Mato Grosso, Brasil 6(4): 467-495
- GERECKE, R. (1995): Water mites from Ecuador I. A new genus of the family Anisitsiellidae KOENIKE, 1909 (Acari: Hydrachnellae) from a rain forest stream in the province of Esmeraldas 13(3/4): 417-422
- GOLOVATCH, S.I. (1992): Review of the Neotropical fauna of the millipede family Fuhrmannodesmidae, with the description of four new species from near Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida) 12(2): 207-226
- GOLOVATCH, S.I. (1992): Review of the Neotropical millipede genus *Onciurossoma* SILVESTRI, 1932, with the description of three new species from near Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida, Paradoxosomatidae) 12(2): 227-237
- GOLOVATCH, S.I. (1994): Further new Fuhrmannodesmidae from the environs of Manaus, Central Amazonia, Brazil, with a revision of *Cryptogonodesmus* SILVESTRI, 1898 (Diplopoda, Polydesmida) 13(2): 131-161
- GOLOVATCH, S.I. (1996): Two new and one little-known species of the millipede family Pyrgodesmidae from near Manaus, Central Amazonia, Brazil (Diplopoda: Polydesmida) 14(1/2): 109-120
- GOLOVATCH, S.I. (1996): A new species of *Cutervodesmus* KRAUS, 1957, from the environs of Manaus, Central Amazonia, Brazil, with notes on the genus (Diplopoda: Polydesmida: Fuhrmannodesmidae) 14(1/2): 137-141
- GOLOVATCH, S.I. (1997): On some further Neotropical Pyrgodesmidae, partly from the environs of Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida) 14(3/4): 323-334
- GOLOVATCH, S.I. (1999): On six new and some older Pyrgodesmidae from the environs of Manaus, Central Amazonia, Brazil (Diplopoda, Polydesmida) 15(3/4): 221-238
- GOLOVATCH, S.I. & J. ADIS (1998): Description of *Taulidesmella tabatinga* n.sp. (Diplopoda, Polydesmida, Pyrgodesmidae) from Amazon River floodplains, with notes on its distribution and ecology 15(1/2): 57-66
- GOLOVATCH, S.I., HOFFMAN, R.L. & J. ADIS (1999): A new species of *Chondrodesmus* SILVESTRI, 1897, from near Tefé, Central Amazonia, Brazil, with first ecological observations (Diplopoda, Polydesmida, Chelodesmidae) 15(3/4): 269-277
- GOLOVATCH, S.I., HOFFMAN, R.L., ADIS, J., VOHLAND, K. & A. MÁRMOL (1997): On the identity of further two millipede species (Diplopoda) from the environs of Manaus, Central Amazonia 14(3/4): 301-309
- GOLOVATCH, S.I., VOHLAND, K., HOFFMAN, R.L., ADIS, J., MÁRMOL, A., BACHMANN, L. & J. TOMIUK (1998): Review of the Neotropical millipede genus *Pycnotropis* CARL, 1914 (Diplopoda, Polydesmida, Aphelidesmidae) 15(1/2): 67-102
- GRABERT, H. (1984): Possible migration and phylogeny of the South-American Iniidae (Cetacea, Mammalia). [in German] 8(3): 365-374
- GRENAND, F. & P. GRENAND (1993): Historical stages of the várzea settlements in the Amazon. [in Portuguese] 12(3/4): 509-526
- GUILLAUMET, J.-L., LOURD, M., BAHRI, S. & A.A. DOS SANTOS (1993): Agricultural systems on Careiro Island. [in Portuguese] 12(3/4): 527-550
- HAFFER, J. (1977): Pleistocene speciation in Amazonian birds 6(2): 161-191
- HANAGARTH, W. (1983): Floodplains in the Peruvian Amazon region as faunal sources for agrarian areas. [in German] 8(1): 111-128
- HARDY, E.R. (1992): Changes in species composition of Cladocera and food availability in a floodplain lake, Lago Jacaretinga, Central Amazon 12(2): 155-168

- HARDY, E.R., ROBERTSON, B. & W. KOSTE (1984): About the relationship between the zooplankton and fluctuating water levels of Lago Camaleão, a Central Amazonian várzea lake 9(1): 43-52
- HERO, J.-M. (1990): An illustrated key to tadpoles occurring in the Central Amazon rainforest, Manaus, Amazonas, Brasil 11(2): 201-262
- HEUVELDOP, J. (1978): First results of meteorological investigations in the rain forest stands of San Carlos de Rio Negro. [in German] 6(3): 299-300
- HEUVELDOP, J. (1980): Bioclimate of San Carlos de Rio Negro, Venezuela. [in German] .. 7(1): 7-17
- HOFFMAN, R.L. (1985): A new millipede of the genus *Gonographis* from an inundation forest near Manaus, Brazil (Pyrgodesmidae) 9(2): 243-246
- HOFFMAN, R.L. (1995): Redefinition of the millipede genus *Pycnotropis* and description of a new species from Manaus, Brazil (Polydesmida: Platyrrhacidae: Euryurinae) 13(3/4): 283-292
- HOFFMAN, R.L., GOLOVATCH, S.I., ADIS, J. & J.W. DE MORAIS (1996): Practical keys to the orders and families of millipedes of the Neotropical region (Myriapoda: Diplopoda) 14(1/2): 1-35
- HOWARD-WILLIAMS, C. (1974): Nutritional quality and calorific value of Amazonian forest litter 5(1): 67-75
- HUSZAR, V.L.M. (1996): Planktonic algae, other than desmids, of three Amazonian systems (Lake Batata, Lake Mussurá and Trombetas River), Pará, Brazil 14(1/2): 37-73
- IRION, G. (1976): The development of the Central and Upper Amazonian lowland during the late Pleistocene and the Holocene. [in German] 6(1): 67-79
- IRION, G., ADIS, J., JUNK, W.J. & F. WUNDERLICH (1983): Sedimentological studies of the "Ilha de Marchantaria" in the Solimões/Amazon River near Manaus 8(1): 1-18
- IRMLER, U. (1973): Population-dynamic and physiological adaptation of *Pentacomia egregia* CHAUD. (Col., Cicindelidae) to the Amazonian inundation forest 4(2): 219-227
- IRMLER, U. (1975): Ecological studies of the aquatic soil invertebrates in three inundation forests of Central Amazonia 5(3): 337-409
- IRMLER, U. (1978): The structure of the carabid- and staphylinid-community in Central Amazonian inundation forests. [in German] 6(3): 301-326
- IRMLER, U. (1985): Temperature dependant generationcycle for the cicindelid beetle *Pentacomia egregia* CHAUD. (Coleoptera, Carabidae, Cicindelinae) of the Amazon valley 9(3): 431-439
- IRMLER, U. (1989): Population-ecology and migration of *Dero multibranchiata* STIEREN, 1892 (Naididae, Oligochaeta) in the Central Amazon inundation forest 11(1): 31-52
- IRMLER, U. & K. FURCH (1979): Production, energy, and nutrient turnover of the cockroach *Epilampra irmieri* ROCHA e SILVA & AGUIAR in a Central-Amazonian inundation forest 6(4): 497-520
- ISHII, K., NGUYEN DUY-JACQUEMIN, M. & B. CONDÉ (1999): The first penicillate millipedes from the vicinity of Manaus, Central Amazonia, Brazil (Diplopoda: Polyxenida) 15(3/4): 239-267
- JEDICKE, A., FURCH, B., SAINT-PAUL, U. & U.-B. SCHLÜTER (1989): Increase in the oxygen concentration in Amazon waters resulting from the root exudation of two notorious water plants, *Eichhornia crassipes* (Pontederiaceae) and *Pistia stratiotes* (Araceae) 11(1): 53-69

JUNK, W.J. (1970): Investigations on the ecology and production-biology of the "floating meadows" (*Paspalo-Echinochloetum*) on the Middle Amazon. Part I: The floating vegetation and its ecology 2(4): 449-495

JUNK, W.J. (1973): Investigations on the ecology and production-biology of the "floating meadows" (*Paspalo-Echinochloetum*) on the Middle Amazon. Part II. The aquatic fauna in the root zone of floating vegetation 4(1): 9-102

JUNK, W.J. (1973): Faunistic-ecological studies as possibility for the definition of biotopes, exemplified for floodplains. [in German] 4(3): 263-271

JUNK, W.J. (1980): The importance of water-level fluctuations for the ecology of floodplain regions, exemplified for the várzea of the Middle Amazon. [in German] 7(1): 19-29

JUNK, W.J. (1985): Temporary fat storage, an adaptation of some fish species to the waterlevel fluctuations and related environmental changes of the Amazon river 9(3): 315-351

JUNK, W.J. (1987): LOWE-McCONNELL, R.H.: Ecological studies in tropical fish communities. - Book review. [in German] 10(2): 237

JUNK, W.J. (1989): ENGELS, W. (ed.) 1987: The tropics as biotope. - Book review. [in German] 10(4): 487

JUNK, W.J. (1997): Ecological studies on crocodilans in Suriname. P.E. OUBOTER. - Book review 14(3/4): 221

JUNK, W.J. (1999): Obituary Dr. Hans Klinge (1928-1999) 15(3/4): 165-168

JUNK, W.J. & M.T.F. PIEDADE (1993): Herbaceous plants of the Amazon floodplain near Manaus: Species diversity and adaptations to the flood pulse 12(3/4): 467-484

JUNK, W.J., SOARES, G.M. & F.M. CARVALHO (1983): Distribution of fish species in a lake of the Amazon river floodplain near Manaus (Lago Camaleão), with special reference to extreme oxygen conditions 7(4): 397-431

KIEFER, F. (1967): Two new *Parastenocaris*-species (Copepoda, Harpacticoida) from the Middle Amazon region. [in German] 1(2): 131-134

KIEFER, F. (1968): Two further *Parastenocaris* species (Copepoda, Harpacticoida) from the Middle Amazon region. [in German] 1(3): 257-258

KLINGE, H. (1973): Structure and species richness of the Central Amazonian rain forest. [in German] 4(3): 283-292

KLINGE, H. (1977): Preliminary data on nutrient release from decomposing leaf litter in a Neotropical rain forest 6(2): 193-202

KLINGE, H. (1978): The phytomass of dominant tree species in an Amazonian caatinga. [in German] 6(3): 327-328

KLINGE, H. (1985): Foliar nutrient levels of native tree species from Central Amazonia. 2. *Campina* 9(3): 281-295

KLINGE, H., FURCH, K. & E. HARMS (1984): Selected bioelements in bark and wood of native tree species from Central-Amazonian inundation forests 9(1): 105-117

KLINGE, H., FURCH, K., HARMS, E. & J. REVILLA (1983): Foliar nutrient levels of native tree species from Central Amazonia. I. Inundation forests 8(1): 19-45

KLINGE, H. & W.A. RODRIGUES (1968): Litter production in an area of Amazonian terra firme forest. Part I. Litter-fall, organic carbon and total nitrogen contents of litter 1(4): 287-301

KLINGE, H. & W.A. RODRIGUES (1968): Litter production in an area of Amazonian terra firme forest. Part II. Mineral nutrient content of the litter 1(4): 303-310

KNÖPPEL, H.-A. (1970): Food of Central Amazonian fishes. Contribution to the nutrient-ecology of Amazonian rain-forest-streams 2(3): 257-351

KNÖPPEL, H.-A. (1972): On nutrition of tropical fresh-water fishes from South America. - Some selected species of the Anostomidae, Curimatidae, Hemiodidae and Characidae (Pisces, Characoidei). [in German] 3(2): 231-257

KNÖPPEL, H.-A., JUNK, W.J. & J. GÉRY (1968): *Bryconops* (*Creatochanes*) *inpai*, a new characoid fish from the Central Amazon Region, with a review of the genus *Bryconops* 1(3): 231-246

KOEPCKE, H.-W. (1976): Peruvian natural landscapes as centers of evolution. [in German] 6(1): 81-85

KOHLHEPP, G. (1976): State and problems of the Brazilian development planing in Amazonia. [in German] 6(1): 89-104

KOSTE, W. (1972): Rotatorians from Amazonian waters. [in German] 3(3/4): 258-505

KOSTE, W. (1974): To the knowledge of the rotatorian fauna of the "floating meadows" of a shore lagoon in the várzea of Amazonia, Brazil [in German] 5(1): 25-59

KOSTE, W. (1988): On the rotifers of some standing waters near the Biological Station Panguana in the tropical rain forest of Peru. [in German] 10(3): 303-325

KOSTE, W. & K. BÖTTGER (1989): Rotifers from Ecuadorian waters. [in German] .. 10(4): 407-438

KOSTE, W. & K. BÖTTGER (1992): Rotifers from Ecuadorian waters II. [in German] . 12(2): 263-303

KOSTE, W. & E.R. HARDY (1984): Taxonomic studies and new distribution records of Rotifera (Phylum Aschelminthes) from Rio Jatapú and Uatumã, Amazonas, Brazil 9(1): 17-29

KOSTE, W. & B. ROBERTSON (1983): Taxonomic studies of the Rotifera (Phylum Aschelminthes) from a Central Amazonian várzea lake, Lago Camaleão (Ilha de Marchantaria, Rio Solimões, Amazonas, Brazil) 8(2): 225-254

KOSTE, W. & B. ROBERTSON (1990): Taxonomic studies of the rotifera from shallow waters on the Island of Maracá, Roraima, Brazil 11(2): 185-200

KOSTE, W., ROBERTSON, B. & E. HARDY (1984): Further taxonomical studies of the Rotifera from Lago Camaleão, a Central Amazonian várzea lake (Ilha de Marchantaria, Rio Solimões, Amazonas, Brazil) 8(4): 555-576

KUBITZKI, K. (1989): Amazon lowland and Guayana highland - Historical and ecological aspects of the development of their floras. [in German] 11(1): 1-12

KURY, A.B. (1995): A review of *Huralvioides* (Opiliones, Gonyleptidae, Pachylinae) 13(3/4): 315-323

LEAL, J.J.F. & F. DE A. ESTEVES (1999): Density and biomass of *Campsurus* sp. (Ephemeroptera) and other macroinvertebrates in an Amazonian lake impacted by bauxite tailings (Lago Batata, Pará, Brazil) 15(3/4): 193-209

LEENTVAAR, P. (1973): Further developments in Lake Brokopondo, Surinam 4(1): 1-8

LEENTVAAR, P. (1979): Additions and corrections to the Brokopondo study (Surinam) 6(4): 521-528

LIMA, I.M.B. (1996): A new species of *Circoniscus* PEARSE, 1917 (Crustacea: Isopoda: Scleropactidae) from the Amazonian region of Brazil. [in Portuguese] ... 14(1/2): 91-100

LIMA, I.M.B. (1996): A new species of *Prosekia* VANDEL, 1968 (Philosciidae: Isopoda) from Amazonia of Brazil. [in Portuguese] 14(1/2): 101-108

LINDNER, E. (1965): Stratiomyiids from the Amazon region. [in German] 1(1): 84-86

LOURD, M. (1993): The main pathogens of cultivated plants on Careiro Island. [in French] 12(3/4): 565-576

LOURENÇO, W.R. (1986): Diversity of the scorpion fauna from Amazonia; centres of endemism; new support for the theory of Pleistocene forest refuges. [in French] 9(4): 559-580

LOURENÇO, W.R. (1988): Synopsis of the scorpion fauna of the Manaus region, Amazonas State, Brazil, with description of two new species. [in French] 10(3): 327-337

LOURENÇO, W.R. & E. FLOREZ (1990): Scorpions (Chelicerata) from Colombia. III. The scorio-fauna of pacific region (Choco), with some biogeographic considerations 11(2): 119-133

LOURENÇO, W.R. & O.F. FRANCKE (1986): A new species of *Chactopsis* from Brazil (Scorpiones, Chactidae) 9(4): 549-558

MAGALHÃES, C. (1985): The larval development of palaemonids from the Amazon Region reared in the laboratory. I. *Macrobrachium amazonicum* (HELLER, 1862) (Crustacea, Decapoda). [in Portuguese] 9(2): 247-274

MAGALHÃES, C. (1986): A taxonomic revision of the Brazilian freshwater crabs of the family Pseudothelphusidae (Crustacea, Decapoda). [in Portuguese] 9(4): 609-636

MAGALHÃES, C. (1986): The larval development of palaemonid shrimps from the Amazon region reared in the laboratory. IV. Abbreviated development of *Palaemonetes ivonicus* HOLTHUIS, 1950 (Crustacea: Decapoda) 10(1): 63-78

MAGALHÃES, C. (1989): The larval development of palaemonid shrimps from the Amazon region reared in the laboratory. VI. Abbreviated development of *Macrobrachium nattereri* (HELLER, 1862) (Crustacea: Decapoda) 10(4): 379-392

MAGALHÃES, C., MALTA, J.C. DE O., ROBERTSON, B. & A. VARELLA (1988): A catalogue of type specimens of Crustacea in the Invertebrate Collection of the Instituto Nacional de Pesquisas da Amazônia, Manaus, Brazil, up to January, 1988 10(3): 267-282

MAGNUSSON, W.E. (1985): Habitat selection, parasites and injuries in Amazonian crocodilians 9(2): 193-204

MAHNERT, V. (1985): Further records of pseudoscorpions (Arachnida) from the Central Amazon region (Brazil). [in German] 9(2): 215-241

MAHNERT, V., ADIS, J. & P.F. BÜHRNHEIM (1986): Key to the families of Amazonian Pseudoscorpiones (Arachnida). [in English, German and Portuguese] 10(1): 21-40

MALTA, J.C.O. & E.N.S. SILVA (1986): *Argulus amazonicus* n.sp., a crustacean parasite of fishes from the Brazilian Amazon (Branchiura: Argulidae). [in Portuguese] 9(4): 485-492

MALTA, J.C.O. & A. VARELLA (1986): *Ergasilus holobryconis* sp.n., a crustacean parasite of *Holobrycon pesu* (MÜLLER & TROSCHELL), a fish from the Brazilian Amazon (Copepoda: Poecilostomatoida: Ergasilidae). [in Portuguese] 10(1): 41-48

MANSUR, M.C.D. & M.G.O. DA SILVA (1990): Compared morphology and microanatomy of *Bartlettia stefanensis* (MORICAND, 1856) with *Anodontites tenebricosus* (LEA, 1834) (Bivalvia, Unionoida, Muteloidea). [in Portuguese] 11(2): 147-166

MANSUR, M.C.D. & R.M. VALER (1992): Bivalve molluscs from Rio Uraricoera and Rio Branco, Roraima, Brazil. [in Portuguese] 12(1): 85-100

MARLIER, G. (1967): Ecological studies on some lakes of the Amazon valley 1(2): 91-115

MATTERN, T. & B. FURCH (1987): Ecological and physiological investigations on *Eichhornia crassipes* (MART.) SOLMS. II. Studies of root structure and the dependance of pigment deposition on the age and physiological state of the roots 10(2): 173-180

MAURIÈS, J.-P. (1984): First records of stemmiulides from Brazil: Three new species from the Manaus region including one from the inundation forest (*Prostemmiulus adisi* n.sp.) (Myriapoda: Diplopoda: Stemmiulida). [in French] 8(3): 375-387

MEDINA, E., DELGADO, M. & V. GARCIA (1989): Cation accumulation and leaf succulence in *Cadonanthus macradenia* J.D. SMITH (Gesneriaceae) under field conditions 11(1): 13-22

MEES, G.F. (1984): A note on the genus *Tocantinsia* (Pisces, Nematognathi, Auchenipteridae) 9(1): 31-34

MERELES, F., DEGEN, R. & N. LOPEZ DE KOCHALCA (1992): Humide areas in Paraguay: description of vegetation. [in Spanish] 12(2): 305-316

MÉRONA, B. DE (1993): Ecological conditions of the production in a floodplain island of Central Amazonia: A multidisciplinary project. [in French] 12(3/4): 353-363

MÉRONA, B. DE & M.M. BITTENCOURT (1993): Fish communities of the "Lago do Rei", a floodplain lake in the Central Amazon: a general description. [in French] 12(3/4): 415-441

MÉRONA, B. DE & M.M. BITTENCOURT (1993): Factors and constraints of the commercial fishing activity in the Central Amazon: a case study of a floodplain lake (The "Lago do Rei", Amazon, Brazil). [in Portuguese] 12(3/4): 443-465

MOREIRA, L.C. & O. ODINETZ COLLART (1993): Diel vertical migration of the prawn larvae of *Macrobrachium amazonicum* (HELLER, 1862) in a Central Amazonian floodplain lake, Careiro Island, Brazil. [in Portuguese] 12(3/4): 385-398

MOUND, L.A. & J.M. PALMER (1986): Patterns of speciation in Neotropical spore-feeding thrips of the genus *Zeugmatothrips* (Insecta, Thysanoptera, Phlaeothripidae) 9(4): 581-594

MÜLLER, P. (1973): Historic-biogeographical problems of the species richness of South American rain forests. [in German] 4(3): 229-242

MÜLLER, P. (1974): Josef Schmidhüsen to his 65th birthday. [in German] 5(1): 1-2

MÜLLER, P. (1976): On the diversity and biomass of the reptile fauna in the Central Amazonian rain forest near Manaus. [in German] 5(4): 539-543

MÜLLER, P. (1979): Space linkage and genesis of Southern Brazilian area systems. [in German] 6(4): 529-535

MÜLLER, P. (1979): The evolution of the *Liolaemus wiegmanni*-complex and the dispersal centres in Brazil 6(4): 537-555

MÜLLER, P. (1989): Biomonitoring of chemicals on tropical ecosystems 11(1): 71-89

MÜLLER, P., NAGEL, P. & W. FLACKE (1980): Ecological influence of tsetse fly control with dieldrin in the upland of Adamaoua (Cameroun). [in German] 7(1): 31-48

MÜLLER, P. & G. WEIMER (1976): Notes on the distribution centers of South American callichthyids and cichlids. [in German] 6(1): 105-121

NAGEL, P. & A. SCHÄFER (1978): The biotic diversity as factor for the system analysis. [in German] 6(3): 329-345

NESSIMIAN, J.L., DORVILLÉ, L.F.M., SANSEVERINO, A.M. & D.F. BAPTISTA (1998): Relation between flood pulse and functional composition of the macroinvertebrate benthic fauna in the lower Rio Negro, Amazonas, Brazil 15(1/2): 35-50

NOLTE, U. (1987): *Campsurus notatus* (Polymitarcidae, Ephemeroptera) a bioturbator in várzea lakes 10(2): 219-222

NOODT, W. (1973): Species richness and MONARD's principle in Crustacea of the limnopsammon in the Neotropics. [in German] 4(3): 255-261

NORTCLIFF, S., THORNES, J.B. & M.J. WAYLEN (1979): Tropical forest systems: A hydrological approach 6(4): 557-568

OCHS, G. (1965): Fourth contribution to the knowledge of the whirligig beetles of the Amazon region (Col., Gyrinidae). [in German] 1(1): 36-73

OCHS, G. (1967): Fifth contribution to the knowledge of the whirligig beetles of the Amazon region (Col., Gyrinidae). [in German] 1(2): 135-171

ODINETZ COLLART, O. & L.C. MOREIRA (1993): Fishery potential of *Macrobrachium amazonicum* in Central Amazonia (Careiro Island): abundance and size variation. [in Portuguese] 12(3/4): 399-413

OHLY, J.J. (1985): Aspects of the recent development of the water buffalo husbandry in the Central Amazon region. [in German] 9(3): 441-457

OLIVEIRA, E.P. DE (1993): Influence of different cropping systems on the density of terrestrial invertebrates in várzea soil of Central Amazonia. [in Portuguese] 12(3/4): 495-508

OLIVEIRA, E.P. DE & J.-M. THIBAUD (1988): A new genus of Hypogastruridae (Insecta: Collembola) in Amazonia. [in French] 10(3): 299-302

PAIVA, M.P. & F.H. NEPOMUCENO (1989): On the reproduction in captivity of the oscar, *Ostronotus ocellatus* (CUVIER), according to the mating methods (Pisces - Chichlidae) 10(4): 361-377

- PANOSSO, R. DE F., MUEHE, D. & F. DE A. ESTEVES (1995): Morphological characteristics of an Amazon floodplain lake (Lake Batata, Pará State, Brazil) 13(3/4): 245-258
- PAOLINI, J. (1979): Humic substances-system in the caatinga amazonica near San Carlos de Rio Negro, Venezuela. [in German] 6(4): 569-582
- PAROLIN, P. (1998): Floristic composition and structure of two stands of *Senna reticulata* differing in age 15(1/2): 113-128
- PEREIRA, L.A., MINELLI, A. & F. BARBIERI (1994): New and little known geophilomorph centipedes from Amazonian inundation forests near Manaus, Brazil (Chilopoda: Geophilomorpha) 13(1/2): 163-204
- PEREIRA, L.A., MINELLI, A. & F. BARBIERI (1995): Description of nine new centipede species from Amazonia and related matters on Neotropical geophilomorphs (Chilopoda: Geophilomorpha) 13(3/4): 325-416
- PETREIRE, M. Jr. (1983): Relationships among catches, fishing effort and river morphology for eight rivers in Amazonas State (Brazil), during 1976-1978 8(2): 281-296
- PETREIRE, M. Jr. (1984): Erratum AMAZONIANA 8(2), 281-296, 1983; Relationships among catches, fishing effort and river morphology for eight rivers in Amazonas State (Brazil), during 1976-1978 8(3): 427
- PETREIRE, M. Jr. (1986): Amazon fisheries I - Variations in the relative abundance of tambaqui (*Colossoma macropomum* CUVIER, 1818) based on catch and effort data of the gill-net fisheries 9(4): 527-547
- PETREIRE, M. Jr. (1986): Amazon fisheries II - Variations in the relative abundance of tucunaré (*Chichla ocellaris*, *C. temensis*) based on catch and effort data of the trident fisheries 10(1): 1-13
- POLHEMUS, J.T. & D.A. POLHEMUS (1984): Studies on Neotropical Veliidae (Hemiptera). VII. Descriptions of four new species of *Paravelia* BREDDIN 8(3): 339-349
- POLHEMUS, J.T. & D.A. POLHEMUS (1984): Notes on Neotropical Veliidae (Hemiptera). IX. additional new species of *Paravelia* from South America 8(4): 497-504
- PUTHZ, V. (1975): A new caenid genus from the Amazon region (Insecta: Ephemeroptera: Caenidae). [in German] 5(3): 411-415
- PUTHZ, V. (1981): On new and known *Stenus*-species from Brazil (Coleoptera: Staphylinidae). 185. Contribution to the knowledge of Steninae. [in German] 7(2): 175-189
- PY-DANIEL, V. (1982): Neotropical Prosimuliini (Diptera: Simuliidae). [in Portuguese] 7(3): 293-333
- PY-DANIEL, V. (1983): Description of two new Neotropical subgenera of Simuliidae (Diptera: Culicomorpha). [in Portuguese] 8(2): 159-223
- RAFAEL, J.A. (1986): *Amazunculus*, a new genus of pipunculid from the Amazon basin (Diptera, Pipunculidae) 10(1): 15-19
- RAFAEL, J.A. (1989): Description of two new species of *Eudorylas* ACZÉL (Diptera: Pipunculidae) of inundation forest and terra firme near Manaus, Amazonas, Brazil. [in Portuguese] 10(4): 401-405
- RAI, H. (1979): Microbiology of Central Amazon lakes 6(4): 583-599
- RAPP PY-DANIEL, L.H. (1985): *Dekeyseria amazonica*, new genus and new species from the Amazonian region, Brazil, and *D. scaphirhyncha* (KNER, 1854) new combination (Loricariidae: Siluriformes). [in Portuguese] 9(2): 177-191
- REHFELDT, G. (1986): Distribution and behaviour of libellulid dragonflies (Odonata: Libellulidae) during the dry season in Panamanian tropical forest. [in German] 10(1): 57-62
- REISS, F. (1973): On hydrography and macrobenthos fauna of tropical lagoons in the savanna of the Território de Roraima, Northern Brazil. [in German] 4(4): 367-378

- REISS, F. (1974): Four new *Chironomus*-species (Chironomidae, Diptera) and their ecological importance for the benthos fauna of Central Amazonian lakes and inundation forests. [in German] 5(1): 3-23
- REISS, F. (1976): Characterization of Central Amazonian lakes on account of their macrobenthos fauna. [in German] 6(1): 123-134
- REISS, F. (1977): Qualitative and quantitative investigations on the macro-benthic fauna of Central Amazon lakes. 1. Lago Tupé, a black water lake on the lower Rio Negro 6(2): 203-235
- RIBEIRO, J.S.B. & A.J. DARWICH (1993): Phytoplanktonic primary production of a fluvial island lake in the Central Amazon (Lago do Rei, Ilha do Careiro). [in Portuguese] 12(3/4): 365-383
- RIGHI, G. (1989): Three Oligochaeta, Glossoscolecidae from Amazonia. [in Portuguese] 10(4): 393-399
- RÖMBKE, J. & M. VERHAAGH (1992): About earthworm communities in a rain forest and an adjacent pasture in Peru 12(1): 29-49
- ROSSO DE FERRADÁS, B.E. & K. BÖTTGER (1997): Water mites from stagnant waters of Paraguay 14(3/4): 177-212
- SAINT-PAUL, U. (1983): Investigations on the respiration of the Neotropical fish, *Colossoma macropomum* (Serrasalminidae). The influence of weight and temperature on the routine oxygen consumption 7(4): 433-443
- SAINT-PAUL, U. (1984): Investigations on the seasonal changes in the chemical composition of liver and condition from a Neotropical characid fish *Colossoma macropomum* (Serrasalminidae) 9(1): 147-158
- SANTOS, G.M. DOS & M. JÉGU (1987): New occurrences for *Gnathodolus bidens* and *Synaptolaemus cingulatus* and descriptions of two new species of *Sartor* (Characiformes, Anostomidae). [in Portuguese] 10(2): 181-196
- SATTLER, W. (1968): Further notes on the eco-ethology of a Neotropical *Macronema*-larva (Hydropsychidae, Trichoptera). [in German] 1(3): 211-229
- SATTLER, W. & J. SYKORA (1977): On a strange Neotropical caddisfly, particularly due to its construction instinct - *Leucotrichia brasiliensis* n.sp. (Trichoptera, Hydroptilidae). [in German] 6(2): 237-255
- SCHADEN, R. (1973): Short note on the species number of Rotatoria in the Amazon region. [in German] 4(3): 253-254
- SCHADEN, R. (1977): On the cyclomorphosis of some brachionids (Rotatoria) of Central Amazonia. [in German] 6(2): 257-266
- SCHADEN, R. (1977): Seasonal changes in the composition of the rotatorian stock of Lago de Castanho, Central Amazonia. [in German] 6(2): 267-273
- SCHADEN, R. (1978): On the diversity and identity of Amazonian Rotatoria zooms. [in German] 6(3): 347-371
- SCHADEN, R. & H. SIOLI (1972): Professor Dr. Heitor Grillo in memoriam. [in Portuguese] 3(2): 137-138
- SCHADEN, R. & H. SIOLI (1972): Professor Dr. Heitor Grillo in memoriam. [in German] 3(2): 139-140
- SCHELLER, U. (1992): A study of Neotropical Symphyla (Myriapoda): list of species keys to genera and description of two new Amazonian species 12(2): 169-180
- SCHELLER, U. (1994): Pauropoda of a secondary forest near the Tarumã Mirim River, Amazonas, Brazil (Myriapoda, Pauropoda, Pauropodidae) 13(1/2): 65-130
- SCHELLER, U. (1997): Pauropoda from upland and inundation forests in Central Amazonia, Brazil (Myriapoda, Pauropoda: Millotauropodidae, Pauropodidae) ... 14(3/4): 223-300

SCHELLER, U. (1999): The taxonomic composition and affinities of the Brazilian
Paupoda with description of three new species from Central Amazonia
(Myriapoda, Paupoda: Pauropodidae) 15(3/4): 169-182

SCHELLER, U. & J. ADIS (1984): A new species of *Ribautiella* (Myriapoda,
Symphyla, Scolopendrellidae) from an Amazonian black-water inundation
forest and notes on its natural history and ecology 8(3): 299-310

SCHLÜTER, U.-B. & B. FURCH (1987): Ecological and physiological investigations
on *Eichhornia crassipes* (MART.) SOLMS. 1. The effect of different environmental
conditions on the development of root colour 10(2): 163-171

SCHLÜTER, U.-B. & B. FURCH (1992): Morphological, anatomical, and physiological
investigations on the tolerance to flooding by the tree *Macrobium acaciaefolium*,
characteristic of the white- and blackwater inundation forest near Manaus,
Amazonas. [in German] 12(1): 51-69

SCHMIDT, G.W. (1968): On the problem of determination of the carbon dioxide
in tropical waters poor in calcium. [in German] 1(4): 323-326

SCHMIDT, G.W. (1970): Numbers of bacteria and algae and their interrelations in some
Amazonian waters 2(4): 393-400

SCHMIDT, G.W. (1972): Chemical properties of some waters in the tropical rain-forest
region of Central-Amaonia along the new road Manaus - Caracará 3(2): 199-207

SCHMIDT, G.W. (1972): Amounts of suspended solids and dissolved substances
in the middle reaches of the Amazon over the course of one year (August,
1969 - July, 1970) 3(2): 208-223

SCHMIDT, G.W. (1973): Primary production of phytoplankton in the three types
of Amazonian waters. I. Introduction 4(2): 135-138

SCHMIDT, G.W. (1973): Primary production of phytoplankton in the three types
of Amazonian waters. II. The limnology of a tropical flood-plain lake in
Central Amazonia (Lago do Castanho) 4(2): 139-203

SCHMIDT, G.W. (1973): Primary production of phytoplankton in the three types
of Amazonian waters. III. Primary productivity of phytoplankton in a
tropical flood-plain lake of Central Amazonia, Lago do Castanho, Amazonas,
Brasil 4(4): 379-404

SCHMIDT, G.W. (1976): Primary production of phytoplankton in the three types
of Amazonian waters. IV. On the primary productivity of phytoplankton in
a bay of the lower Rio Negro (Amazonas, Brazil) 5(4): 517-528

SCHMIDT, G.W. (1982): Primary production of phytoplankton in the three types
of Amazonian waters. V. Some investigations on the phytoplankton and its
primary productivity in the clear water of the lower Rio Tapajós (Pará,
Brazil) 7(3): 335-348

SCHMIDT, G.W. & G. UHERKOVICH (1973): On the species richness of the
phytoplankton in Amazonia. [in German] 4(3): 243-252

SCHMIDT, J. (1984): Heavy metal analysis in *Hemidactylus mabouia*
(Geckonidae) as a method to classify urban environmental quality. [in German] 9(1): 35-42

SCHREIBER, H. (1973): Radiation centers of sphingids (Lepidoptera) in the
Neotropics. [in German] 4(3): 273-281

SCHUBART, H. (1968): New Palaeacaroida (Oribatei) from Amazonia (Arach., Acari).
[in German] 1(3): 251-256

SCHUBART, H. & L. BECK (1968): On the fauna of coleopterans from Amazonian soils.
[in German] 1(4): 311-321

SCHWAAR, J. (1979): The vegetation of the high peat bogs of Terra del Fuego.
[in German] 6(4): 601-609

SCHWABE, G.H. (1968): Two remarkable nostocaceans from South America.
[in German] 1(4): 351-368

SCHWABE, G.H. (1970): Two remarkable nostocaceans from South America II.
[in German] 2(3): 363-390

SCHWARZBOLD, A. & A. SCHÄFER (1984): Origin and morphology of the coastal
lagoons of Rio Grande do Sul - Brazil. [in Portuguese] 9(1): 87-104

SEIDENSCHWARZ, F. (1986): Comparison of riverside herb communities with weed
vegetation in the tropical lowlands of Peru. [in German] 10(1): 79-111

SILVA, C.P.D. (1995): Community structure of fish in urban and natural streams
in the Central Amazon 13(3/4): 221-236

SILVA, V.M.F. DA & R.C. BEST (1996): Freshwater dolphin/fisheries interaction
in the Central Amazon (Brazil) 14(1/2): 165-175

SINGER, R. (1984): Adaptation of higher fungi to várzea conditions 8(3): 311-319

SIOLI, H. (1965): The limnology and its importance in Amazonian research.
[in Portuguese] 1(1): 11-35

SIOLI, H. (1965): Remark on the typology of Amazonian rivers. [in German] 1(1): 74-83

SIOLI, H. (1968): Hydrochemistry and geology in the Brazilian Amazon region 1(3): 267-277

SIOLI, H. (1968): Dr. Werner Sattler in memoriam 1(4): 283-286

SIOLI, H. (1972): Dr. José Cândido de Melo Carvalho, new co-editor of
AMAZONIANA. [in Portuguese] 3(2): 133-134

SIOLI, H. (1972): Dr. José Cândido de Melo Carvalho, new co-editor of
AMAZONIANA. [in German] 3(2): 135-136

SIOLI, H. (1989): Dr. Hans KLINGE on his 60th birthday. [in German, Portuguese,
English] 11(1): i-vi

SOARES, M.G.M., ALMEIDA, R.G. & W.J. JUNK (1986): The trophic status of the
fish fauna in Lago Camaleão, a macrophyte dominated floodplain lake in
the middle Amazon 9(4): 511-526

SOPHIA, M.G. & V.L.M. HUSZAR (1996): Planktonic desmids of three Amazonian
systems (Lake Batata, Lake Mussurá and Trombetas River), Pará, Brazil 14(1/2): 75-90

STEFFAN, A.W. (1989): Announcement - Publications on Tropical Entomology 11(1): 117

STERN, K.M. (1970): The Casiquiare-channel, now and once. [in German] 2(4): 401-416

STURM, H. (1983): The soil fauna of the Andean Páramo region. [in German] 8(1): 129-147

STURM, H. & J. ADIS (1984): Development and mating behaviour of Meinertellidae
(Machiloida, Archaeognatha, Insecta) from the Central Amazon. [in German] 8(4): 447-473

TALLING, J.F. (1997): The Central Amazon floodplain. Ecology of a pulsing system.
W.J. JUNK (ed.). - Book review 14(3/4): 353

TEIXEIRA, A.S. & A. JAMIESON (1985): Genetic variation in plasma transferrins
of tambaqui, *Colossoma macropomum* (CUVIER 1818) 9(2): 159-168

THATCHER, V.E. (1986): The parasitic crustaceans of fishes from the Brazilian
Amazon, 16. *Amazonicopeus elongatus* gen. et sp. nov. (Copepoda:
Poecilostomatoida) with the proposal of Amazonicopeidae fam. nov. and
remarks on its pathogenicity 10(1): 49-56

THATCHER, V.E. (1988): *Asotana magnifica* n.sp. (Isopoda, Cymothoidae) an
unusual parasite (commensal?) of the buccal cavities of piranhas
(*Serrasalmus* sp.) from Roraima, Brazil 10(3): 239-248

THATCHER, V.E. (1991): Amazon fish parasites 11(3/4): 263-571

THATCHER, V.E. (1995): *Anphira xinguensis* sp. nov. (Isopoda, Cymothoidae) a
gill chamber parasite of an Amazonian serrasalmid fish, *Ossobius xinguense*
JÉGU, 1992 13(3/4): 293-303

THATCHER, V.E. (1995): Comparative pleopod morphology of eleven species of
parasitic isopods from Brazilian fish 13(3/4): 305-314

THATCHER, V.E. (1996): <i>Braga amapaensis</i> n.sp. (Isopoda: Cymothoidae) a mouth cavity parasite of the Amazonian fish, <i>Acestrorhynchus guyanensis</i> MENEZES, with a redefinition of the genus <i>Braga</i>	14(1/2): 121-129
THATCHER, V.E. (1996): A new genus and three new species of Monorchiidae (Trematoda) from freshwater fish of Rondônia State, Brazil	14(1/2): 131-136
THATCHER, V.E. (1997): Mouthpart morphology of six freshwater species of Cymothoidae (Isopoda) from Amazonian fish compared to that of three marine forms, with the proposal of Artystonena subfam. nov.	14(3/4): 311-322
THATCHER, V.E. (1998): Description of adults of <i>Octospiniferoides incognita</i> SCHMIDT & HUGGHINS, 1973 (Acanthocephala: Neoechinorhynchidae) from a fish of Rondônia State, Brazil	15(1/2): 51-55
THATCHER, V.E. & W.A. BOEGER (1983): The parasitic crustaceans of fishes from the Brazilian Amazon. 10 - <i>Acusicola pellowi</i> n.sp. (Copepoda: Cyclopidae) from <i>Pellona castelnaeana</i> (VALENCIENNES)	8(2): 273-279
THATCHER, V.E. & W.A. BOEGER (1984): The parasitic crustaceans of fishes from the Brazilian Amazon. 13. <i>Gamidactylus jaraquensis</i> gen. et sp. nov. (Copepoda: Poecilostomatoida: Vaigamidae) from the nasal fossae of <i>Semaprochilodus insignis</i> (SCHOMBURGK)	8(3): 421-426
THATCHER, V.E. & W.A. BOEGER (1984): The parasitic crustaceans of fishes from the Brazilian Amazon. 14. <i>Gamispinus diabolicus</i> gen. et spec. nov. (Copepoda: Poecilostomatoida: Vaigamidae) from the nasal fossae of <i>Ageneiosus brevifilis</i> VALENCIENNES	8(4): 505-510
THATCHER, V.E. & W.A. BOEGER (1984): The parasitic crustaceans of fishes from the Brazilian Amazon. 15. <i>Gamispatulus schizodontis</i> gen. et sp. nov. (Copepoda: Poecilostomatoida: Vaigamidae) from the nasal fossae of <i>Schizodon fasciatus</i> AGASSIZ	9(1): 119-126
THATCHER, V.E., BOEGER, W.A. & B.A. ROBERTSON (1984): The parasitic crustaceans of fishes from the Brazilian Amazon. 12. <i>Ergasilus hydrolicus</i> n.sp. (Copepoda: Poecilostomatoida) from <i>Hydrolycus scomberoides</i> (CUVIER)	8(3): 321-326
THATCHER, V.E. & M.L. CARVALHO (1988): <i>Artystone minima</i> n.sp. (Isopoda, Cymothoidae) a body cavity parasite of the pencil fish (<i>Nannostomus beckfordi</i> GUENTHER) from the Brazilian Amazon	10(3): 255-265
THATCHER, V.E. & M. JÉGU (1996): Intestinal helminths as population markers of the Amazonian fish <i>Mylesinus paraschomburgkii</i> , with descriptions of five new genera and seven new species of trematodes	14(1/2): 143-155
THATCHER, V.E. & M. JÉGU (1998): Amphistomes as species markers of the serrasalmid fish, <i>Myleus ternetzi</i> (NORMAN), from French Guiana, with descriptions of two new species and one new genus	15(1/2): 103-112
THATCHER, V.E. & V. PAREDES (1985): A parasitic copepod, <i>Perulerna gamitanae</i> gen. et sp. nov. (Caclopoida: Lernaeidae), from the nasal fossae of a Peruvian Amazon food fish	9(2): 169-175
THATCHER, V.E. & V. PAREDES (1985): A parasitic copepod, <i>Amplexibranchius bryconis</i> gen. et sp. nov. (Ergasilidae: Acusicolinae), from an Amazonian fish and remarks on the importance of leg morphology in this subfamily	9(2): 205-214
THATCHER, V.E. & I. SCHINDLER (1999): <i>Artystone bolivianensis</i> n.sp. (Isopoda, Cymothoidae) from a loricariid catfish of the Bolivian Amazon	15(3/4): 183-191
TURNER, P.N. (1987): <i>Keratella</i> rotifers found in Brazil, and a survey of <i>Keratella</i> rotifers from the Neotropics	10(2): 223-236
TUXEN, S.L. (1976): The Protura (Insecta) of Brazil, especially Amazonas	5(4): 417-463
UHERKOVICH, G. (1976): Algae from the rivers Rio Negro and Rio Tapajós. [in German]	5(4): 465-515

UHERKOVICH, G. (1981): Algae from some Amazonian waters. [in German]	7(2): 191-219
UHERKOVICH, G. & M. FRANKEN (1980): Periphytic algae from Central Amazonian forest streams. [in German]	7(1): 49-79
UHERKOVICH, G. & H. RAI (1979): Algae from the Rio Negro and its affluents. [in German]	6(4): 611-638
UHERKOVICH, G. & G.W. SCHMIDT (1974): Phytoplankton taxa in the Central Amazonian alluvial lake Lago do Castanho. [in German]	5(2): 243-283
VALDIVIA VILLAR, R.S. (1987): Studies of the Neotropical cladoceran fauna (Cladocera, Chydoridae): I. Redescription of <i>Dunhevedia odontoplax</i> SARS, 1901, from Peru. [in Spanish]	10(2): 137-147
VALDIVIA VILLAR, R.S. (1988): Checklist of freshwater Cladocera from Perú. [in Spanish]	10(3): 283-297
VALDIVIA VILLAR, R.S. & L. BURGER (1989): Description of <i>Daphniopsis marcahuasensis</i> sp. nov. (Cladocera: Daphniidae) from Perú, with the inclusion of a key of the species of the genus. [in Spanish]	10(4): 439-452
VÁSQUEZ, E., PARDO, M.J., ZOPPI DE ROA, E. & C. LÓPEZ (1998): Rotifer fauna from Venezuela	15(1/2): 11-24
VIEIRA, M.F. & J. ADIS (1992): Abundance and biomass of <i>Paulinia acuminata</i> (DE GEER, 1773) (Orthoptera: Pauliniidae) in a várzea lake of Central Amazonia. [in Portuguese]	12(2): 337-352
VIETS, K.O. (1974): On some water mites (Hydrachnellae, Acari) from Brazil. [in German]	5(1): 61-65
VIETS, K.O. (1975): <i>Koenikea</i> -species (Acari, Hydrachnellae) from the Amazon region. [in German]	5(3): 305-336
VOHLAND, K. (1998): Review of the millipede subfamily Amphininae (Diplopoda, Polydesmida, Aphelidesmidae) with remarks on phylogeny and the description of some new South American genera and species	15(1/2): 129-163
VOLKMER-RIBEIRO, C. (1970): <i>Oncosclera</i> - a new genus of freshwater sponges (Porifera - Spongillidae) with redescription of two species	2(4): 435-442
VOLKMER-RIBEIRO, C. (1979): Evolutionary study of the genus <i>Metania</i> GRAY, 1867 (Porifera - Spongillidae) I. The new species	6(4): 639-649
VOLKMER-RIBEIRO, C. (1984): Evolutionary study of the genus <i>Metania</i> GRAY, 1867 (Porifera - Spongillidae) II. Redescription of two Neotropical species	8(4): 541-553
VOLKMER-RIBEIRO, C. (1986): Evolutionary study of the freshwater sponge genus <i>Metania</i> GRAY, 1867: III. Metaniidae, new family	9(4): 493-509
VOLKMER-RIBEIRO, C. (1992): The freshwater sponges in some peat-bog ponds in Brazil	12(2): 317-335
VOLKMER-RIBEIRO, C. & S. BECKER MACIEL (1983): New freshwater sponges from Amazonian waters	8(2): 255-264
VOLKMER-RIBEIRO, C. & P.R.C. COSTA (1992): On <i>Metania spinata</i> (CARTER, 1881) and <i>Metania kiliani</i> n.sp.: Porifera, Metaniidae VOLKMER-RIBEIRO, 1986	12(1): 7-16
VOLKMER-RIBEIRO, C. & R. DE ROSA-BARBOSA (1974): A freshwater sponge-mollusk association in Amazonian waters	5(2): 285-291
WALKER, I. (1986): Experiments on colonization of small water bodies by Culicidae and Chironomidae as a function of decomposing plant substrates and their implications for natural Amazonian ecosystems	10(1): 113-125
WALKER, I. (1992): The benthic litter habitat with its sediments load in the inundation forest of the Central Amazonian blackwater river Tarumã Mirim	12(2): 143-153
WALKER, I. (1995): Sedimentation in the inundation forest flanking the Central Amazonian blackwater stream Rio Tarumã Mirim (Manaus, Amazonas State)	13(3/4): 237-243

- WERDER, U. (1983): Age determination by scale analysis in juvenile matrinchã (*Brycon* cf. *melanopterus* MÜLLER & TROSCHER, Teleostei: Characoidei) a tropical characin from the Central Amazon 7(4): 445-464
- WERDER, U. (1984): Erratum AMAZONIANA 7(4), 445-464, 1983; Age determination by scale analysis in juvenile Matrinchã (*Brycon* cf. *melanopterus* MÜLLER & TROSCHER, Teleostei: Characoidei) a tropical characin from the Central Amazon . . . 8(3): 427
- WERDER, U. & G.M. SOARES (1984): Age determination by sclerite numbers, and scale variations in six fish species from the Central Amazon (Osteichthyes, Characoidei) 8(3): 395-420
- WIEBACH, F. (1967): Amazonian bryozoans (Bryozoa). I. [in German] 1(2): 173-187
- WIEBACH, F. (1970): Amazonian bryozoans (Bryozoa). II. [in German] 2(3): 353-362
- WIEBACH, F. (1974): Amazonian bryozoans (Bryozoa). III. [in German] 5(2): 293-303
- WIRTH, W.W. & F.S. BLANTON (1973): A review of the maruins or biting midges of the genus *Culicoides* (Diptera: Ceratopogonidae) in the Amazon Basin 4(4): 405-470
- WOLF, A. (1990): Observations on the vegetation of some shallow lakes near the mouth of the Rio Ypané, Paraguay. [in German] 11(2): 167-184
- WORBES, M. (1983): Studies on the vegetation of two inundation forests in Central Amazonia - preliminary results. [in German] 8(1): 47-65
- WORBES, M. (1985): Structural and other adaptation to long-term flooding by trees in Central Amazonia 9(3): 459-484
- WORTHMANN, H.O. (1983): A comparative study of the growth of the postlarval and juvenile pescadas *Plagioscion squamosissimus* (HECKEL) and *Plagioscion monti* (SOARES) in a white water lake of the Central Amazon 7(4): 465-477
- WORTHMANN, H.O. (1992): Aspects of the reproduction of two sciaenid species, the pescadas *Plagioscion squamosissimus* HECKEL 1864 and *Plagioscion monti* (SOARES 1979), Pisces, in different water types of the Central Amazon. [in German] 12(1): 17-28
- WUNDERLE, I. (1992): Arboricolous and edaphic Oribatei (Acari) in the lowland rain forest of Panguana, Peru. [in German] 12(1): 119-142
- YANO, O. (1982): Occurrence of *Leucophanes* (Leucobryaceae, Bryopsida) in Brazilian Amazonia. [in Portuguese] 7(3): 349-354
- ZALESKAJA, N.T. (1994): The centipede genus *Lamyctes* MEINERT, 1868, in the environs of Manaus, Central Amazonia, Brazil (Chilopoda, Lithobiomorpha, Henicopidae) 13(1/2): 59-64
- ZIECHMANN, W. (1976): Humic substances in South American river systems. [in German] 6(1): 135-144
- ZOMPRO, O. & I. FRITZSCHE (1999): *Lucihormetica fenestrata* n.gen., n.sp., the first record of luminescence in an orthopteroid insect (Dictyoptera: Blaberidae: Blaberinae: Brachycolini) 15(3/4): 211-219